INVEST IN THE FUTURE

COLLISION REPAIR



SPOT WELDING - DENT PULLING - MIG-MAG/GMAW-FCAW - PLASMA CUTTING
INDUCTION - RIVETING - LIFTING - BODYSHOP TOOLS

2026 B

A solid manufacturing group

900 people

C1+
Credit Rating
Banque de France

€ 145 000 000

55 000 m²
2 factories

FRENCH MANUFACTURER
SINCE 1964

A family company



Nicolas & Bruno
Bouygues

Global coverage

125 countries

5 catalogues

3 500+ references



MMA/SMAW
TIG/GTAW
MIG-MAG/
GMAW-FCAW
Plasma cutting
Stud welding
Spot welding
Accessories
Protection
Consumables



Spot welding
Dent pulling
MIG-MAG/
GMAW-FCAW
Plasma cutting
Induction heating
Riveting
Lifting
Bodyshop tools



Chargers
Battery support units
Boosters
Starters
Testers
Portable energy
Jumper cables
EV charging
Accessories



Releasing
Straightening
Shrink-fitting
Bending
Brazing
Quenching
Annealing



MIG-MAG/
GMAW-FCAW
TIG/GTAW

Download
the
catalogues



GYS FRANCE - HEADQUARTERS
Laval

GYS LOGISTIC CENTER
Laval



GYS GERMANY
Aachen



GYS U.K.
Rugby



GYS CHINA
Shanghaï



GYS ITALIA
Venezia



GYS IBERICA
Madrid

Table of contents

DENT PULLING ..... 5 › 35
GLUE PULLING REPAIR & PDR ..... 36 › 39
PULLING SYSTEMS ..... 40 › 51
MOBILE LIFTS & TRUCK TOOLS ..... 52 › 57
RESISTANCE SPOT WELDING ..... 58 › 73
RIVETING ..... 74 › 85
MIG/MAG WELDING ..... 86 › 97
PLASMA CUTTING ..... 98 › 101
INDUCTION HEATING ..... 102 › 109
ACCESSORIES ..... 110 › 135

GYS

MANUFACTURER
SINCE 1964

★★★★★ THEY TRUST US ★★★★★

ILS NOUS FONT CONFIANCE

VOLKSWAGEN GROUP

TESLA APPROVED
COLLISION TOOLS, EQUIPMENT & CONSUMABLES

RIVIAN

TATA

EICHER

KIA

Li Auto

LYNK&CO

ROLLS ROYCE

DAF

LUCID

BMW

MINI

LAND ROVER

JAGUAR

MERCEDES

NIO

ZEEKR

DENT PULLING

STEEL / ACIER / STAHL

GYSPOT 6
GYSPOT PRO • EXPERT 7

ALU

GYSPOT ALUMINIUM 8

ALUMINIUM + STEEL / ACIER / STAHL

GYSPOT COMBI 9
ACCESSORIES & CONSUMABLES 10

DRAWN ARC
ALUMINIUM + STEEL / ACIER / STAHL

GYSPOT ARCPULL 12
GYSPOT COMBI ARCPULL 13
ACCESSORIES & CONSUMABLES 16

FAST DENT PULLING 18
LEVELLING BARS 20

COMPLETE WORKSTATIONS 24
GLUE PULLING REPAIR 36



PORTABLE DENT PULLING
STEEL
ACIER - STAHL

GYSPOT ACCU 2900
091375



OPTIONS



Pullling points
×5
050839



Straight pulling rings
×100
050648




Twisted pulling rings
×50
050648

Designed for mobility



NEW 09/2026

included



Ground adapter for rings welding	Ring holder	Pulling rings	Pulling electrodes	8 000 mAh / 88.8 Wh / 11.1 V Lithium battery 092839	100 - 240 V EU, USA, AUS / CHN, UK Charger + Adapters	
×1	×1	×10	×3	×1	×1	×3

	$I_{2\ max}$	I_{RMS}	V			IP		
							LxWxH cm / kg	
50/60 Hz	A	A						
208-240 V	2800	1800	7.4	OK	—	20	53 x 20.5 x 45 / 4.3	58 x 9.5 x 21 / NC

MADE IN CHINA

LCD Color interface
- Easy to setup
- Save 5 config
- Power control by microprocessor



DENT PULLING
STEEL
ACIER - STAHL

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten

OPTIONS

Consommables - Consumables
p.13



Chariots - Trolleys
p.22



- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren






FIXED GUN

GYSPOT 26.02


2600 A	×1 AUTOMATIC
230 V • 1 ~	

052208

included



Automatic quick gun, 1.8 m, 70 mm² + Hammer (057272)




Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

GYSPOT 27.02


2600 A	×1 MANUAL
230 V • 1 ~	

055353

included



Manual quick gun, 1.8 m, 70 mm² (058705) + Hammer (057272)




Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

FIXED GUN


GYSPOT 34.02 & 34.04

3500 A	×1 MANUAL
230 V • 1 ~	GYSPOT 34.02 065741
400 V • 2 ~	GYSPOT 34.04 067943

included



Manual quick gun, 2 m, 50 mm² + Hammer (057272)



Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

	CE NORM. 62135	$I_{2\ max}$	U_2	AM	I_{RMS}	kW				SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN	
		50/60 Hz	A	V	A	A			MANUAL							LxWxH cm / kg
MADE IN GYS CHINA	GYSPOT 26.02	230 V	2 m	2600	5,4	16	1800	10	OK	—	■	—	—	—	■	—	—	40 x 25 x 31 / 18
	GYSPOT 27.02	230 V	2 m	2600	5,4	16	1800	10	OK	—	■	—	■	—	—	■	—	40 x 25 x 31 / 18
	GYSPOT 34.02	230 V	2 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 23.9
	GYSPOT 34.04	400 V, 2ph	4 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 24

DENT PULLING
STEEL
ACIER - STAHL

QUICK GUNS

PATENTS REGISTERED NUMBERS 001830845-0001 EUROPEAN TRADEMARK & DESIGN



AUTOMATIQUE



WITH CONNECTOR
2 m, Ø 70 mm²
included 39.02/04
057517



WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/401
059207



COMPLETE AUTOMATIC GUN CABLE (2m / 70mm²)
052512

MANUAL



WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400, EXPERT 200/230/401, COMBI 230EPRO
057524

No connector
cable 1.8 m, Ø 70 mm²
for 27.02
058705

No connector
cable 2 m, Ø 50 mm²
for 34.02/34.04

Mandrels for gun - Mandrins pour pistolets - Pistole & Anschlußstücke, Zubehör



QUICK GUN
057531



D1
048959



Nut - Écrou
053199



Microswitch
053267

OPTIONS

Consommables - Consumables
p.12



Chariots - Trolleys
p.22





GUN WITH CONNECTOR

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN



- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- (+) Tempering - Rétreinte - Temperieren
- (+) Rivets - Rivets - Nieten
- (+) Rings - Rondelles - Unterlegscheiben
- (+) Studs - Goujons - Gewindebolzen

SYNERGIC & MANUAL CONTROL






GUN WITH CONNECTOR

GYSPOT 39.02 & 39.04

3800 A	×1 AUTOMATIC	
230 V • 1 ~	GYSPOT 39.02 052215	GYSPOT 39.02 D 090613 NEW 07/2026
400 V • 2 ~	GYSPOT 39.04 052222	GYSPOT 39.04 D 090620 NEW 07/2026

included



Automatic quick gun, 2 m, 70 mm² (057517)
+ Hammer (057272)



Earth cable
2 m, 70 mm²

SPOTTER BOX STANDARD (053915)
(Details p.12)


GYSPOT PRO 230 & PRO 400

3800 A	×2 AUTOMATIC MANUAL	
230 V • 1 ~	GYSPOT PRO 230 052178	GYSPOT PRO 230 D 090637 NEW 07/2026
400 V • 2 ~	GYSPOT PRO 400 052185	GYSPOT PRO 400 D 090644 NEW 07/2026


included



Automatic quick gun, 3 m, 50 mm² (057500)
+ Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable
2 m, 70 mm²

SPOTTER BOX PRO (050075)
(Details p.12)


GYSPOT EXPERT 200, 230 & 401

3800-4500 A	×2 AUTOMATIC MANUAL	
230 V • 1 ~ 3800 A	GYSPOT EXPERT 230 066885	
200-240 V • 1 ~ 4350 › 5100 A	GYSPOT EXPERT 200 058842	
400 V • 2 ~ 4500 A	GYSPOT EXPERT 401 088542 NEW	

included



Automatic quick gun, 3 m, 70 mm² (059207)
+ Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable
Thick 3 mm
2 m, 70 mm²



SPOTTER BOX PRO (050075)
(Details p.12)

	CE NORM. 62135	50/60 Hz		I2 max A		U2 V	AM A	I RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN	LxWxH cm / kg
MADE IN GYS FRANCE	GYSPOT 39.02	230 V	4 m	3800		7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 27.5
	GYSPOT 39.04	400 V, 2ph																	49 x 38 x 29 / 25.2
MADE IN GYS CHINA	GYSPOT 39.02 D	230 V	4 m	3800		7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 27.5
	GYSPOT 39.04 D	400 V, 2ph																	49 x 38 x 29 / 25.2
MADE IN GYS FRANCE	GYSPOT PRO 230	230 V	8 m	3800		7,4	16	2800	20	20	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.6
	GYSPOT PRO 400	400 V, 2ph																	49 x 38 x 29 / 29.4
MADE IN GYS CHINA	GYSPOT PRO 230 D	230 V	8 m	3800		7,4	16	2800	20	20	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.6
	GYSPOT PRO 400 D	400 V, 2ph																	49 x 38 x 29 / 29.4
MADE IN GYS FRANCE	GYSPOT EXPERT 200	200-240 V	8 m	4350 › 5100		7,2-8,7	30(D)	3100 › 3600	25 › 36	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 34.6
	GYSPOT EXPERT 230	230 V		3800			16	2800	20										49 x 37 x 31 / 30.6
	GYSPOT EXPERT 401	400 V, 2ph		4500		7,4	16(D)	3200	25										49 x 38 x 29 / 32.9

GYSPOT ALU

DENT PULLING
ALU

Youtube

AD **ANTI-DUST**



SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN

Alu



Goujons - Studs

FV FLEXIBLE VOLTAGE

85 V — 265 V

110 V — 230 V

45 m

NEW 12/2026



FIXED GUN

GYSPOT ALU 66

13000 A ×1 AUTOMATIC

230 V • 1 ~ AD

080188

included — for Ø 4 mm



Automatic alu gun 3 m, 25 mm²

+ 

ALU BOX STANDARD (050020) (Details p.13)

GYSPOT ALU 66 FV

13000 A ×1 AUTOMATIC

110 › 230 V • 1 ~ FV AD

091450

included — for Ø 4 mm



Automatic alu gun 3 m, 25 mm²

+ 

ALU BOX STANDARD (050020) (Details p.13)

GYSPOT ALU PRO FV

13000 A ×1 AUTOMATIC

110 › 230 V • 1 ~ FV

021990

included — for Ø 4 mm



Automatic alu gun 3 m, 25 mm²

+ 

ALU BOX STANDARD (050020) (Details p.13)

ALU GUN



PATENTS REGISTERED NUMBERS 002446450-0001 EUROPEAN TRADEMARK & DESIGN

AUTOMATIC

3 m, Ø 25 mm²


included SPOT ALU FV & COMBISPOT 230

054066



(x 3) 065635

66 mF **CAPACITOR DISCHARGE WELDING**



with connectors for COMBISPOT 230

Joint rings for mandrel Ø 4/5/6 ×2 060814

OPTIONS

Consumables - Consommables p.13



ALU accessories - Accessoires ALU p.21



Trolleys - Chariots p.22



GYSPOT COMBI

DENT PULLING
ALU+STEEL
ACIER - STAHL

PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN

Steel / Acier / Stahl



Alu



- Stars - Étoiles
- Rings - Anneaux
- Wavy wires - Fils ondulés
- Impact shrinking - Rabattage d'impact
- Tempering - Rétreinte
- Rivets - Rivets
- Rings - Rondelles
- Studs - Goujons



NEW

GUN WITH CONNECTOR

GYSPOT COMBI PRO 230


3800 A Acier / Steel / Stahl ×1 AUTOMATIC / MANUAL

13000 A Alu ×1 AUTOMATIC

230 V • 1 ~

087705

included



Manual quick gun, 2 m, 70 mm² (057524) + Hammer (057272)

Automatic alu gun, 3 m, 25 mm²

Earth cable 2 m, 70 mm²

SPOTTER BOX PRO (050075) (Details p.12)

ALU BOX STANDARD (050020) (Details p.13)

GYSPOT COMBI 230 E.PRO

3800 A Acier / Steel / Stahl ×1 AUTOMATIC / MANUAL

13000 A Alu ×1 AUTOMATIC

230 V • 1 ~

021266

included



Manual quick gun, 2 m, 70 mm² (057524) + Hammer (057272)

Automatic alu gun, 3 m, 25 mm²

Earth cable 2 m, 70 mm²

SPOTTER BOX PRO (050075) (Details p.12)

ALU BOX STANDARD (050020) (Details p.13)

	CE NORM. 62135	50/60 Hz		I2 max A	U2 V	AM A	RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN			LxWxH cm / kg
MADE IN GYS CHINA	**GYSPOT ALU 66**	230 V	6 m	**13 000**	50 › 200	5	—	0.52	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	27 x 20.5 x 27 / 13.5
MADE IN GYS CHINA	**GYSPOT ALU 66 FV**	110 › 230 V	6 m	**13 000**	50 › 200	5	—	0.52	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	27 x 20.5 x 27 / 13.5
MADE IN GYS FRANCE	**GYSPOT ALU PRO FV**	110 › 230 V	6 m	**13 000**	50 › 200	5	—	0.65	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	49 x 38 x 29 / 13.4
MADE IN GYS CHINA	**GYSPOT COMBI PRO 230**	230 V	8 m	**3800 (steel) 13000 (alu)**	7,4 (steel) 50 › 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x 1	x 1	■	2/3 m	**Included** Spotter box + Alu box	54 x 76 x 34 / 43.8
MADE IN GYS FRANCE	**GYSPOT COMBI 230 E.PRO**	230 V	8 m	**3800 (steel) 13000 (alu)**	7,4 (steel) 50 › 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x 1	x 1	■	2/3 m	**Included** Spotter box + Alu box	54 x 76 x 34 / 47.5

GYSPOT ACCESSORIES & CONSUMABLES

STEEL / ACIER / STAHL

ALU




DENT BOX
CONSUMABLES / BAR / EASY




SPOTTER BOX
STANDARD / 2600 / 2700



SPOTTER BOX
PRO




Star - Étoile - Ausbeulstern



Ring - Rondelle - Unterlegscheiben



Tempering - Rétreinte - Temperieren



Impact shrinking & Lock nut - Rabattage d'impact & Écrou - Glätten



Wavy wire - Fil ondulé - Wellendraht



Rings - Anneaux - Zugösen



Studs - Goujons - Gewindebolzen



Rivets - Rivets - Nieten

Nails - Clous

Stitch welding - Molette

Rubber pad
062399

NEW

	hexagon	Earth plate small	chuck for inertia hammer	copper coating star	electrode ø 16 for 8 x 16	ø 8 x 16	earth hook	carbon heating electrode	electrode warming point ø 16	Ball electrode warming point Ø16	for spot welding machine only M8	elec-trode	wavy wire	magnetic positioner	elec-trode	straight rings	twisted rings	lifting rod	electrode for threaded studs rivets ø 5 - M5, M6	threaded M5 x 18 x 0.8	self-threading ø 5 x 18	ø 5 x 12	electrode ø 16, 3 x 4,50	ø 3 x 3.25	ø 3 x 4.50	electrode ø2 - M4	ø2	for spot welding machine only electrode wheel ø16	flat n°27	Earth plate large	magnetic	Steel gun earth adapter Ø 25 mm²	Sst electrode / électrode inox warming point ø 16
			×1	×20	× 1	×100	×1	×5	×1	×1	×100	×1	×50	×1	×1	×100	×50	×3 180, 300, 500 mm	×1	×100	×100	×100	×1	×100	×100	×1	×100	×1	×1	×1	×1	×1	×1
			049482	052239	049574	049444	056718	049468	049567	059726	050303	049789	049727	049772	050655	050648	050631	050792	049598	049383	049420	049413	049604	049345	049352	049277	041561	050310	049673	052529	049666	051997	089303

DENT BOX

BEST SELLER	**CONSUMABLES** 051515				×20								×25						×50	×25														
	BAR 050037 ideal PROLINER											×1	×25			×1	×50	×1 180mm																
	EASY 053632 included EASYLINER	×1	×1	×1	×20	×1	×50	×1	×1	×1		×1	×25			×1	×50	×1 180mm																

SPOTTER BOX

	PRO 050075 included PRO, EXPERT & COMBI 230	×1	×1	×1	×20	×1	×50	×1	×1	×1										×1	×50	×50	×50	×1	×100	×100							
	STANDARD 053915	×1	×1	×1	×20	×1	×50	×1	×1	×1																								
	2600 052277 ideal GYSPOT 2600				×20	×1	×50	×1																										
	2700 053922 ideal GYSPOT 2700				×20	×1	×50	×1	×1																										




ELECTRODE FOR MAGNETIC EARTH (x1)
050013

THREADED ROD FOR MAGNETIC EARTH (x5)
055438



SINGLE HOOK (x1)
051218



Curved lifting rod 280 mm
064706

Steel Ring sharpener - Affuteur d'anneaux acier - Stahl Zugösenschneider
072565





072299
Pneumatic punch and die sharpener for steel rings
Poinçon et matrice affuteur pneumatique pour anneaux acier

SLIDE HAMMERS - Marteaux inertie - Ausbeulhammer



1.1 kg
049802

COMPLETE
057272

included (x1) 049482 + included (x20) 052239

Nails - Clous - Nägel
041813


1.1 kg



for :
Ø 2, M4 (x1) 049277
Ø 2 (x100) 041561

Washers - Rondelles - Ringe
051201


1.7 kg



for :
Ø 16, 8x16 (x1) 049574
8x16 (x100) 049444
(x1) 051218

COMPLETE KIT
051225

2.5 kg
049819



Pulling handle 3 claws
- Poignée de tirage 3 dents
- Handzugkralle 3-fach
057326



3 teeth
PREMIUM
059658


Pulling handle with hook
- Poignée de tirage avec crochet
057319



1 tooth
PREMIUM
082021

5 kg
+ 6 hooks
087828

9 kg
+ 6 hooks
085930



ALU



ALU BOX LIGHT Ø4 / STANDARD Ø4 / Ø5 & 6

× 2 Joint rings for mandrel Ø 4/5/6
060814

NEW

× 5 360-Degree pulling rings M4 Aluminium Stud
091993

	mandrel for ALU GUN ø 4 x2	ø 5 x1	ø 6 x1	alu magnesium screws 12 mm ø 4 - M4 x200	ø 4 - M4 x1000	ø 5 x100	ø 6 x100	alu silicium screws 12 mm ø 4 - M4 x200	ø 4 - M4 x1000	ø 5 x100	ø 6 x100	screwable rings ø4 x5	fast pulling rings x5	lifting rod ×3 : 180, 300, 500 mm
	049000	048157	048164	050273	050129	048140	048133	050280	050136	048126	048003	050297	058712	050792

ALU BOX

	LIGHT Ø4 051522			ø 4 ×200				ø 4 ×200						
	STANDARD Ø4 050020 included with GYSPOT ALU & COMBI 230			ø 4 ×200				ø 4 ×200				×5		×1
	Ø 5 & 6 048195		×1	×1		ø 5 ×100 + ø 6 ×100				ø 5 ×100 + ø 6 ×100			×5	

DENT PULLING

DRAWN ARC ALU + STEEL

ACIER - STAHL

Youtube

FV FLEXIBLE VOLTAGE

85 V — 265 V

10 m

SR SECONDARY REGULATION

I (A) STABLE

AD ANTI-DUST


MANUAL & SYNERGIC CONTROL

SYNERGIC



PRO

EXPERT Control



MANUAL



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching (I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

9 languages
FR, EN, DE, SP, IT, PL, PT, NL & RU



GUN WITH CONNECTOR

SYNERGIC DIGITAL GUNS

UNIQUE
Linear Motor

DRAWN ARC PROCESS
Gas protection









Full control



Consumables for Gun



x2
059627



x1
059610

GYSPOT ARCPULL 200 COLLISION REPAIR

100 › 230 V • 1 ~

200 A — ×1 MANUAL

FV SR AD

057470

: 088115 NEW

included



Manual synergic gun
3 m, 25 mm²

+



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610

+ Lifting rod 180 mm
(x1) 082915

OPTIONS

Weld 810
for ARCPULL 200
037489



details p.22

GYSPOT COMBI ARCPULL

230 V • 1 ~

ARCPULL	EXPERT
200 A	3800 A
Alu	Acier / Steel / Stahl
×1	×1
MANUAL	MANUAL

069824

OPTION : AUTOMATIC

Arcpull accessories included



Manual synergic gun
3 m, 25 mm²

+



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610

+ Lifting rod 180 mm
(x1) 082915

Expert accessories included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)



Earth cable
2 m, 70 mm²

+



SPOTTER BOX PRO (050075)
(Details p.12)

MADE IN FRANCE / CE NORM. 60974-1	50/60 Hz		I_2 A	SYNERGIC	MANUAL	IRMS (A)	Acier/Steel	Alu	U_2 V	AM A	kW			LxWxH cm / kg
GYSPOT ARCPULL 200 COLLISION REPAIR	110 › 230 V	6 m	10 › 100 (110 V) 10 › 200 (230 V)	■	■	—	Manual + Digital Gun Motion Control		20.4 › 24 V (110 V) 20.4 › 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	49 x 37 x 30 / 14.5
GYSPOT COMBI ARCPULL	230 V	8 m	Alu 10 › 200 Acier 3800	■	■	Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 › 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	72 x 42 x 29 / 41.5

DENT PULLING

DRAWN ARC ALU + STEEL

ACIER - STAHL

Youtube

SPECIAL TEARING RIVETS

Spécial arrachage de rivets - Spezial-Zugnieten

① **Welding** with Arcpull 350

② **Tearing** with Gyspress adapters (p.81)

PFC **POWER FACTOR CORRECTION**

185 V — 265 V

10 m

SR **SECONDARY REGULATION**


I (A) STABLE

AD **ANTI-DUST**

SYNERGIC



EXPERT Control



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching(I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

MANUAL



9 languages
FR, EN, DE, SP, IT, PL, PT, NL & RU



Ø max
Alu/Fe/SST :
8 mm



Ø max
Alu : **10 mm**
Fe/SST :
13 mm

PRO ★★★

Ideal all position


5 or 10 m, Ø 50 mm² included
ARC PULL 700



SYNERGIC DIGITAL GUNS

★★★★ DRAWN ARC PROCESS
Gas protection

UNIQUE Linear Motor





3 m, Ø 25 mm²

included
ARCPULL
200, 350 &
COMBI ARCPULL



Consumables for Gun

x2
059627

x1
059610

GYSPOT ARCPULL 350 COLLISION REPAIR

208 › 240 V • 1 ~

350 A ×1 MANUAL

PFC SR AD

082953

included



Manual synergic gun
3 m, 25 mm²

+



ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi)
059429



x1
059610

+



ALU RING bag 2 mm (AlSpec x100)
065703

+

Lifting rod 180 mm (x1) 082915

GYSPOT ARCPULL 700 COLLISION REPAIR (5M)

380 › 480 V • 3 ~

680 A ×1 MANUAL

SR IP 23

068315

included



Manual synergic gun
50 mm²
5 m or **10 m**

+



Double earth clamps
700 A, 3 m, 50 mm²
068605



Arc Pull Rivet Box 700

+



ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi)
059429

Lifting rod 180 mm (x1) 082915


Ground studs holder
Ø 6 (x1) 075368
Ø 8 (x1) 075375
Ø 10 (x1) 075382



Threaded holder
Ø 5 (x1) 076174
Ø 6 (x1) 068391



Gas protection (x1)
068346



OPTIONS

details p.22

Weld 810
for ARCPULL 350
037489



Weld 910
for ARCPULL 700
070967



MADE IN FRANCE / 60974-1	50/60 Hz		I_2 A	SYNERGIC	Acier/Steel	Alu	TECHNOLOGY Power Factor Correction	TECHNOLOGY Flexible Voltage	U_2 V	AM A	kW			LxWxH cm / kg
GYSPOT ARCPULL 350 COLLISION REPAIR	208 › 240 V	6 m	10 › 350	■	Manual + Digital Gun Motion Control		■	—	20.4 › 34 V	16	1 1.9	OK	OK	48 x 36 x 30 / 17.4
GYSPOT ARCPULL 700 COLLISION REPAIR	3x 400 V	5 m	50 › 680	■	Manual + Digital Gun Motion Control		—	—	22 › 44 V	20 A (D)	47.8 kW	OK	OK	60 x 43 x 46 / 27.8
	3x 480 V									16 A (D)	45.7 kW			

GYSPOT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL



	×1 059634	×1 059641	mandrel Ø2mm ×1 064065	nail Ø2mm ×50mm ×100 041561	Ø2mm ×100 064034	mandrel Ø4mm ×2 049000	studs M4 ×16mm ×100 059603	inox - stainless steel Ø 4 ×50mm ×100 064607	mandrel Ø5mm ×1 048157	studs M5 ×18mm ×100 049383	self-threading studs M5 ×12mm ×100 049413	self-threading studs M5 ×18mm ×100 049420	mandrel Ø6mm ×1 048164	studs M6 ×20mm ×100 063969	studs internal M4 ×20mm ×200 063990	mandrel Ø7.1mm ×1 064041	studs internal M5 ×20mm ×200 064003	mandrel Ø8mm ×1 064058	studs M8 ×20mm ×100 063976
STEEL STUDS BOX 200 & 350 059443	×1	×1				×1	×100		×1	×100	×100	×100							

ALU



	×1 059634	×1 059641	mandrel Ø4mm ×2 049000	studs M4 AlMg3 ×16 mm ×100 059573	mandrel Ø5mm ×1 048157	studs M5 AlMg3 ×16mm ×100 059580	mandrel Ø6mm ×1 048164	studs M6 AlMg3 ×16mm ×100 059597	studs internal M4 ×20mm ×200 064010	mandrel Ø7.1mm ×1 064041	studs internal M5 AlMg3 ×20mm ×200 064027	mandrel Ø8mm ×1 064058	studs M8 AlMg3 ×16 mm ×100 063983
ALU STUDS BOX 200 & 350 059436	×1	×1	×1	×100	×1	×100	×1	×100					



ALU RING BOX
1mm / 1.5 mm

	straight rings					twisted rings				
	Al-Special			AlMg3		AlMgSi		Al-Special		AlMg3		AlMgSi	
	n°1 1 mm ×100 059535	n°4 1.5mm ×100 059559	n°8 2mm ×100 065703	n°2 1mm ×100 059498	n°5 1.5mm ×100 059511	n°3 1 mm ×100 059450	n°6 1.5mm ×100 059474	n°1 1mm ×50 059542	n°4 1.5mm ×50 059566	n°2 1mm ×50 059504	n°5 1.5mm ×50 059528	n°3 1mm ×50 059467	n°6 1.5mm ×50 059481
box **ALU RING BOX 1 mm** 059412	1mm ×50			1mm ×50		1mm ×50		1mm ×20		1mm ×20		1mm ×20	
box **ALU RING BOX 1.5 mm** 059429	1.5mm ×50			1.5mm ×50		1.5mm ×50		1.5mm ×20		1.5mm ×20		1.5mm ×20	
sachet - bag **ALU RING BOX 2 mm** 065703	2mm ×100												



Ring holder (x1)
059610



Tension mandrel for M4 (x1)
050327



Earth clamp
Croco T400.70
043787



Double earth clamp
25 mm², 3 m, 350 A
070714



Joint rings for mandrel Ø 4/5/6
x 2
060814





STUDS HOLDER BOX 350

DIFFICULT ACCESS BOX 350

	Mandrel support - Support porte-goujon x 1 059634	Nozzle + pad - Buse + patin x 1 059641	Mandrel - Mandrin Ø2mm ×1 064065	Ø4mm ×2 049000	Ø5mm ×1 048157	Ø6mm ×1 048164	Ø7.1mm ×1 064041	Ø8mm ×1 064058	Long barrel - Canon long Opened - Ouvert x 1 070806	Closed - Fermé x 1 070790	Long mandrel - Mandrin long M4 x 1 070752	M5 x 1 070769	M6 x 1 070776	M8 x 1 070783	25 mm², 3 m, 350 A x 1 070714
STUDS HOLDER BOX 350 064591	×1	×1	×1	×1	×1	×1	×1	×1							×1
ARCPULL DIFFICULT ACCESS BOX 350 070813	×1	×1							×1	×1	×1	×1	×1	×1	×1

Difficult access :



Porte-clou Ø3 - Nail holder Ø3
072251




Clou - Nail Ø3x100 (x100)
072244

To be used with :



Earth clamp
Croco T400.70
043787








ARCPULL RIVET BOX 1 350 - 24kN 064584
ARCPULL RIVET BOX 2 350 - 50 kN 073388
ARCPULL RIVET BOX 3 - 350 24 kN COMPACT 085473

	Stainless steel nail Tige inox Ø 4 x 50 mm x 100 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox —	Mandrel support - Support porte-goujon x 1 059634	Nozzle + pad - Buse + patin (Barrel not included in the box - Coiffe non incluse dans le coffret) x 1 059641	mandrel Ø4mm ×2 049000	Rivet extraction insert - Buse d'extraction 24kN Ø 4 x 1 064683	Long barrel - Canon long + mandrin M4 x 1 067721	+ mandrin M5 x 1 070738	Stainless steel nail Tige inox Ø 5 x 50 mm x 100 070745	Rivet extraction insert - Buse d'extraction 24kN Compact Ø 5 x 1 079946	50kN Ø 5 x 1 066151
ARCPULL RIVET BOX 1 350 - 24kN 064584	×100	×1	×1	×1	×1	×1					
ARCPULL RIVET BOX 2 350 - 50 kN 073388			×1	×1			×1	×100			×1
ARCPULL RIVET BOX 3 - 350 24 kN COMPACT 085473			×1	×1			×1	×100	×1		

Extraction with GYSPRESS & adapters

details p.81



GYSPRESS + adapter **24kN** for Ø 4



GYSPRESS + adapter **50kN** for Ø 4 & 5




GYSPRESS + adapter **24kN Compact** for Ø 4



GYSPOT ARC PULL 700 - ACCESSORIES & CONSUMABLES



	Stainless steel nail - Tige inox Ø 5 x 50 mm x 100 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 x 1 070738	Rivet extraction insert - Buse d'extraction 50 Kn Ø 5 x 1 066151	Mandrel support - Support porte-goujon x 1 071377	Nozzle + pad - Buse + patin (Barrel not included in the box - Coiffe non incluse dans le coffret) x 1 059641		Ring holder x 1 059610	Rod for pulling rings - Fourche pour anneau x 1 071384	Vis de butée
ARCPULL RIVET BOX 700 068452	×100	×1	×1	×1	×1	×2	×1	×1	×1



Gas protection (x1)
068346

Ground studs holders

Ø 6	x 1	075368
Ø 8	x 1	075375
Ø 10	x 1	075382

Threaded holders

Ø 5	x 1	076174
Ø 6	x 1	068391
Ø 8	x 1	068407



Double earth clamp
50 mm², 3 m, 700 A
068605

STEEL / ACIER / STAHL

EASY TOOL CONNECTION



for GYSPOT 39.02/04, PRO 230/400, EXPERT 230/400, COMBISPOT 230



051690

MANUSPOT =
050679



Tools set & support for DENT 600, 800, 1000, 1600, Workstation & Dentstation

+ EASYGUN 051317




+ MANULINER 050471



PATENTS REGISTERED NUMBERS 001652108-0003 EUROPEAN TRADEMARK & DESIGN

4 positions
4 Positionen






051584
380 g

Rings
- Anneaux
- Anschweißösen



051652

Wavy wires
- Fils ondulés
- Wellendraht



051669

Tempering
- Rétreinte
- Glättwerkzeug



051676

Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317




Box of 3 electrodes for accessories
050822



FAST & EASY



RINGMATIC
052154



included

(x 50)


Option
Gun adapter
- Adaptateur pistolet
052499



MANULINER/GUN

056831

PATENTS REGISTERED NUMBERS 001652108-0003 EUROPEAN TRADEMARK & DESIGN



Gun adapter
- Adaptateur pistolet
included
052499

Pads - Patins (x2)
060807

DENT AXE PULLER

080508




Direct impact electrodes (x5)
050839


QUICK SPOT AIR GUN V2

057340



LIGHT 920 g







Gun adapter - Adaptateur pistolet
052826

MANU PULLER

079502



Included **Alu 3** 065178

Included **Steel** 079830

Included **Alu 4** 065185

ALU ARC PULLER PRO

072572




Included **Alu 3** 065178

Included **Alu 4** 065185

Pads - Patins (x4)
074958

Option Steel
079830



ULTRA RESISTANT
No deformation

Full rotation



Multi positions



ALU PULLER



= 051003

4 positions



+ Included **Alu 1** 050938

+ Included **Alu 2** 050945

Patins
- Pads (x2)
060807



STRAIGHT LINE LAMP
- Lampe ligne droite - Dentline-laser

056770



FAST PULLING RINGS
- Anneaux de tirage rapide

058743



x5
058712

Alu 1
050938

Alu 2
050945

goujons alu
- alu screws
ø 4, 5 & 6 mm



Marteau à inertie 380 g
050051

ALU HAMMERS
- Marteaux alu

020986



SET OF 3 ALU HAMMERS + 4 ALU DOLLIES
- Kit marteaux alu et tas alu - Karosseriehammer & Handfaust Kit

083486



Heat gun
- Décapeur thermique
- Heißluftpistole

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min

230 V only



Affichage digital
Digital display

066311

Gas hot air gun - Pistolet à air chaud autonome à gaz



Bouteille de gaz incluse, gas cylinder included

060777

Blow torch - Lampe à souder - Lötlampe



052741

Novacet + (Butane/propane/propylene) 380 ml/220 g



040441

Brushes
- Brosses
- Bürsten
- Brosses
- Cepillos

Inox
- Stainless -
Edelstahl

044258

Thermal marking pencil - Crayon marqueur thermique

121°C / 250°F

052765

Freezer spray - Spray refroidisseur

-50 °C
400 ml

(x 12)
048898

Heat barrier spray - Spray barriere thermique

054325

Infrared Thermometer - Thermomètre infrarouge

-50 / +600 °C
-58 / +1112°F

Adjustable emissivity :
0.10 ~ 1.00

079922

DENT PULLING
WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN

Compatibility

SPOT	Dent 600	Dent 1000	Universal 800	Weld 810	Weld 910	Dent 1600	Dent 1600 WD	Dentstation Pro WD
26/27.02	✓	✓	✓	✓		✓		✓
34.02/04	✓	✓	✓	✓		✓		✓
39.02/04	✓	✓	✓	✓		✓		✓
PRO 230/400	✓	✓	✓	✓		✓		✓
EXPERT 230/400	✓	✓	✓	✓		✓		✓
ALU 66 / 66 FV	✓	✓	✓					
ALU PRO FV	✓	✓	✓			✓		✓
COMBI 230 E.PRO						✓		✓
ARCPULL 200/350				✓	✓	✓		✓
COMBI ARCPULL						✓		✓
ARCPULL 700					✓	✓		✓

TROLLEYS / CHARIOTS


Dent 600
44 x 35 x 62 cm / 6,9 kg
60 x 39 x 14 cm / 7,4 kg
072831




Dent 1000
44 x 35 x 98 cm / 9,3 kg
60 x 39 x 14 cm / 9,9 kg
072848




Universal 800
60 x 48 x 83 cm
17,6 kg
79 x 39 x 18 cm
18,1 kg
051331




Weld 810
77 x 50 x 84 cm
20,1 kg
80 x 51 x 14 cm
21,6 kg
037489




Weld 910
89 x 52 x 84 cm
25 kg
80 x 52 x 22 cm
27 kg
070967



Dent 1600
70 x 69 x 161 cm / 35,8 kg
103 x 66 x 22 cm / 38,7 kg
072596



Dent 1600 WD
71 x 70 x 161 cm / 49,5 kg
103 x 66 x 22 cm / 52,4 kg
072169



Dentstation Pro WD
84 x 64 x 160 cm / 61.6 kg
123 x 82 x 28 cm / 68.5 kg
072800



Workstation 5D
90 x 71 x 161 cm / 65 kg
120 x 80 x 28 cm / 68,5 kg
089259

NEW





4 m³ support
+ Arcpull gun support
for Dent 1600 / 1600 WD
& Dentstation Pro WD
059665



Cable support for
Spot 800, 1600
& Denstation
052284



Protection cover
- Housse de protection
- Schutzhaube

for Universal 800
062733

for Spot 1600 & Dent 1600
048881

for Dentstation Pro
059870

Storage accessories
- Set de fixation

for Proliner, Speedliner, Gysliner
051362



Fixing flanges for generator
- Brides de fixation pour générateur

062146




PULLING BARS

2 PRODUCT LINES

1 STANDARD

2 ★★★ PRO ★★★



QUICK HOOK



EASY REMOVABLE PULLING SYSTEM




SLIDE & LOCK

STANDARD


Levelling lever
- Levier de débosselage
- Zughebel

050686
1.6 kg
79 x 12 x 17 cm / 1.9 kg




Double action levelling bar
- Barre de débosselage double action
- Zughebelbrücke

053564
2.5 kg
77 x 12 x 13 cm / 3.2 kg




Levelling bar
- Barre de débosselage
- Zugbrücke

050693
3.4 kg
87 x 17 x 19 cm / 4 kg




Reinforced scissoring bar
- Barre de tirage renforcée
- Scherenzugbrücke

050716
5.1 kg
87 x 17 x 18 cm / 5.9 kg



OPTIONS

Reinforced bar 1200 mm - Barre renforcée
051171



(x1) **056800**



(x1) **056794**



Fixing screw **058439**

Double pads support
- Support double patin
- Doppelfüße

050723





Extension
052451


1 tooth hook
Ø M10 / M14
082021



3 teeth hook
PREMIUM Ø M10 / M14
059658



Ring-pulling
068995



4 tooth claw
Ø M10 / M14
049758



6 tooth claw
Ø M10 / M14
049734



8 tooth claw
Ø M10 / M14
049741



8 tooth claw
for pulling chain
Ø M10 / M14
067745

SUPER ERGONOMIC

PRO

QUICK HOOK



BREVET GYS - GYS PATENT EP4227014 n° US 12,090,539

SLIDE & LOCK

Removable system : pads and pulling systems
Système de patins et chariots de tirage amovibles



EASY REMOVABLE PULLING SYSTEM





MULTIPLE PULLING SYSTEM

Additional removable pulling systems
Chariots de tirage amovible supplémentaire



GRIP 360 **GRIP 360+**

360° pads with grip
Patins à frein orientables à 360°



STRENGTHENED (DOUBLE) BAR

Improved mechanical resistance
Résistance mécanique renforcée


X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres



Pro Levelling lever
- Levier de débosselage Pro
- Pro Zughebel

091849
87 x 17 x 18 cm / 2.3 kg
1.6 kg




Pro Levelling bar 900mm / Single feet
- Barre de débosselage Pro 900 mm
- Pro Zugbrücke 900 mm

071643
120 x 26 x 8 cm / 4.4 kg
3.8 kg

Old design






Pro Scissoring bar 900mm
- Barre de tirage Pro 900 mm
- Pro Scherenzugbrücke 900 mm

072305
103 x 30 x 13 cm / 5.2 kg
4.5 kg

Old design






Pro Scissoring bar 1150 mm
- Barre de tirage Pro 1150 mm
- Pro Scherenzugbrücke 1150 mm

072626
124 x 7 x 7 cm / 3.1 kg



OPTIONS




071650
51 x 21 x 11 cm / 0.9 kg



072633
79 x 61 x 11 cm / 5.2 kg



072312
51 x 21 x 11 cm /1.6 kg



Double foot
for Pro levelling bar
- Pied double patin pour bar Pro



NEW DESIGN
LIGHT
Extensions
x2
087767



Single foot
for Pro levelling bar
- Pied simple pour bar Pro



Old design

Single foot
- Pied simple
- Fuß



Double foot levelling bar
- Pied double patin
- Doppelfuss



DENT PULLING
WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN



EASYLINER

PROLINER

EASYLINER / PROLINER



EASYLINER 39.02
EASYLINER PRO 230



PROLINER 39.02 / 39.04
PROLINER PRO 230 / PRO 400



PROLINER ALU 66
PROLINER ALU PRO FV
PROLINER ARCPULL 200

EASYLINER

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230
053618 : 058521	072398

ALL IN 1 BOX

INCLUDED ACCESSORIES



DENT 1000
072848



Dent box easy
053632



Levelling bar double action
053564

PROLINER

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230
035775	035799

39.04	PRO 400
035782	035805

INCLUDED ACCESSORIES



UNIVERSAL 800
051331
+ Cable support
052284



Dent box easy
050037



Levelling bar double action
053564

ALU



GYSPOT
(guns & consumables included)

ALU 66	ALU PRO FV	ARCPULL 200
087774	035836	065260



UNIVERSAL 800
051331
+ Cable support
052284



Alu puller
051003



UNIVERSAL 800
051331
+ Cable support
052284



Alu puller
051003



Weld 810
037489
+ Cable support
052284



Alu puller
051003

SPEEDLINER STANDARD



PRO 230, 400



EXPERT 200, 230, 401



COMBI 230 E.PRO




ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 401



ALU PRO FV



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

PRO 230	**EXPERT 200**
074446	074460
PRO 400	**EXPERT 230**
074453	074477
	EXPERT 401
	074484

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

COMBI 230 E PRO	**ARCPULL 200 + PRO 230**	**ARCPULL 200 + EXPERT 200**
074491	074507	074521
COMBI PRO 230 NEW	**ARCPULL 200 + PRO 400**	**ARCPULL 200 + EXPERT 230**
091405	074514	074538
		ARCPULL 200 + EXPERT 401
		074545

ALU



GYSPOT
(guns & consumables included)

ALU 66	**ALU PRO FV**
087781	074552

INCLUDED ACCESSORIES



DENT 1600
072596



Cable support
052284



Levelling bar 850 mm
050693
052451



Multihook heads
049758+049734




Levelling lever
050686



Magnetic earth
049666



Manuspot
050679




Dent box consumables 051515
3 lifting rods 050792



Ringmatic
052154



Alu puller
051003



Cable support
052284



Alu puller
051003



Cable support
052284 + 4 m² support
059665

Steel Speedliner without generator (excluded Ringmatic) : **035058**

INCLUDED ACCESSORIES



DENT 1600
072596



Cable support
052284



Levelling bar 850 mm
050693



Alu hammers
020986



Set of pencil punches with
6 teflon tips 052888



Multihook heads
049758



Alu puller
051003



Stainless
stell brush
044258
Alu Box Ø5 & 6
048195



Infrared Thermometer
079922
Hot air gun 650°C
066311

SPEEDLINER PRO



PRO 230, 400



EXPERT 200, 401
+ ARCPULL 200, 350



COMBI ARCPULL



ARCPULL 200, 350



STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)

EXPERT 230	EXPERT 401
080201	080218

1 BOX



DENT 1600 WD
072169

1 BOX STEEL ACCESSORIES PACK
092860



Pro levelling bar 900 mm
071643

Extensions
087767



Pro Levelling lever
091849




Manuspot
050679



Ringmatic
052154



Pro teeth hook
082038 + 072640



3 lifting rods
050792

Dent box consumables
051515



Magnetic earth
049666

ALU + STEEL / ACIER / STAHL



2 BOX GYSPOT (guns & consumables included)

1 BOX GYSPOT (guns & consumables included)

EXPERT 401 + ARCPULL 200	EXPERT 401 + ARCPULL 350	COMBI ARCPULL
080232	083028	080225

EXPERT 200 + ARCPULL 200
080553

1 BOX ACCESSORIES PACK FOR SPEEDLINER
073838



Cable support
052284



4 m³ support
059665



Arc Puller Pro
072572

ALU



1 BOX GYSPOT (guns & consumables included)

ARCPULL 200	ARCPULL 350
080256	083035

1 BOX

DENT 1600 WD
072169



1 BOX ACCESSORIES PACK ARCPULL
FOR SPEEDLINER
092877



082038



4 m³ support
059665



Pro levelling bar 900 mm
071643



Set of pencil punches
with 6 teflon tips
052888



Arc Puller Pro
072572



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Stainless stell brush
044258
3 lifting rods
050792



Alu Ring Box 1 mm
059412

DENTSTATION STANDARD



39.02, 39.04



PRO 230, 400



EXPERT 200, 230, 401



COMBI 230 E.PRO


★★★ COMPLETE SYSTEM



ARCPULL 200 + PRO 230, 400



ARCPULL 200 + EXPERT 200, 230, 401



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230	EXPERT 200
078161	078208	078321
39.04	**PRO 400**	**EXPERT 230**
078185	078260	078369
		EXPERT 401
		078444

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)



GYSPOT
(guns & consumables included)

COMBI 230 E PRO	ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078529	078222	078338
COMBI PRO 230 NEW	**ARCPULL 200 + PRO 400**	**ARCPULL 200 + EXPERT 230**
091382	078284	078383
		ARCPULL 200 + EXPERT 401
		078468

INCLUDED ACCESSORIES

Dentstation Pro WD
072800
Fixing kit
051362

Double pads
050723

Levelling bar 850 mm
050693

Scissoring bar
050716

Multihook heads
049758
+049734
+049741

Levelling lever
050686

Strengthened bar 1200 mm
051171
Extensions (x2)
052451

Magnetic earth
049666

Manuspot
050679

Dent box consumables
051515
3 lifting rods
050792

Manual pulling handle
057289

Ringmatic
052154

Fast pulling rings (x5)
058712
+ Alu puller
051003

Cable support
052284

Alu puller
051003

Cable support
052284
+ 4 m³ support
059665
+ Flanges (x 2)
062146

DENTSTATION PRO



EXPERT 230, 401



COMBI ARCPULL



EXPERT 401
+ ARCPULL 200, 350



ARCPULL 200, 350



STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)

ALU + STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)



2 BOX GYSPOT (guns & consumables included)

ALU



1 BOX GYSPOT (guns & consumables included)

EXPERT 230	EXPERT 401	COMBI ARCPULL	EXPERT 401 + ARCPULL 200	EXPERT 401 + ARCPULL 350		ARCPULL 200	ARCPULL 350
080133	080140	080157	080164	083004	089273	080461	083011

1 BOX



DENTSTATION PRO WD
072800

1 BOX



Workstation 5D
089259

1 BOX

DENTSTATION PRO WD
072800



1 BOX STEEL ACCESSORIES PACK
080126



Pro levelling bar 900mm
071643



Pro levelling lever
091849
Pro bar 1184 mm
072626



Manuspot
050679



(x2) 087750 + (x2) 087767



082038 + 072671 + 072640 + 072657



071650 + 072312



3 lifting rods
050792



Dent box consumables
051515



Magnetic earth
049666



Ringmatic
052154



Manual pulling handle
057289

1 BOX ALU ACCESSORIES PACK
073838



Cable support
052284



4 m³ support
059665



Arc Puller Pro
072572

1 BOX

ARCPULL ACCESSORIES PACK
080485



Pro levelling bar 900mm
071643

(x2) 087750 + (x2) 087767



082038 + 072640 + 071650



Alu Ring Box 1 mm
059412



Alu hammers
020986



Arc Puller Pro
072572



Set of pencil punches with 6 teflon tips
052888



3 lifting rods
050792



Stainless steel brush
044258
Infrared Thermometer 079922
Hot air gun 650°C
066311



4 m³ support
059665

PDR: Paintless Dent Repair
- Débosselage rapide et sans peinture
- Lackschadenfreies Ausbeulen

PAINTLESS DENT REPAIR

GYSDUCTION AUTO + Dent pulling inductor 054776 = **GYSDUCTION AUTO DENT REPAIR** 054981

Youtube




			Freq.	INTEGRATED TECHNOLOGY			Cable (m)			
50 Hz	A	W	kHz	PFC	FV	Liquid Cooling		Inductor	LxWxH cm / kg	LxWxH cm / kg
230 V, 1~	16	2 400	35→120	■	■	—	2	2.5	52 x 30 x 37 / 9.4	37 x 21 x 37 / 7.5



OPTION
Freezer spray
- Spray refroidisseur
-50 °C
400 ml (x 12)
048898


PAINTLESS DENT REPAIR LAMP
- Lampes de débosselage - Ausbeullampe

083936



DENT PULLING KIT (PAINTLESS)
- Kit débosselage sans peinture - Dellenausbeulhebel-Set

051959




AIR CUSHION KIT
- Kit coussins gonflables - Luftpolster-Spreizkissen-Satz

051942



SET OF 6 PENCIL PUNCHES
- Kit de 6 coins de frappe - Beulenstemmer-Satz mit 6 Tefloneinsätzen

052888



PNEUMATIC INERTIA HAMMER
- Marteau inertie pneumatique - Unterdruck-Schlaghammer

051904



PUMP AIR SUCTION SLIDE HAMMER
- Marteau à inertie à ventouses (pompage manuel) - Man. Unterdruck-Schlaghammer

048683




GLUE LIFTER PRO

NEW
090514



GLUE PULLER PRO (Acier/Alu • Steel/Alu)









Glue Puller PRO
058699


Glue Puller PRO EXPORT
230 V 059160



BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebepads




OPTIONS



DENT REMOVAL FLEXIBLE PANEL
- Planche flexible pour inspection de la carrosserie - Ausbeul Matrix

059122



GLUE GUN 400W - Pistolet à colle chaude 400W



082144



GLUE PULLING REPAIR

GYS GLUE PULLING REPAIR KITS

EUROPE
085466



Isopropyl alcohol 99.9% - Alcool isopropylique 99,9%
1 L



085770



111 pcs



6 rectangular red end tabs
- 6 embouts rectangulaires rouges
085312



10 flat pink end tabs
- 10 embouts plats roses
085329




4 green domed end tabs
- 4 embouts verts bombés
085398



12 black multiform tabs
- 12 embouts multiformes noirs
085978




2 blue bars with 4 plastic rings
- 2 barres bleues avec 4 anneaux plastiques
085251



3 tabs with 14 plastic rings kit
- Kit 3 languettes avec 14 anneaux plastiques
085282



4 blue pull bars with metal rail
- 4 barettes de tirage bleues avec rail métal
085299



10 blue multiform pulling bars
- 10 barrettes de tirage multiformes
085305



Tapping hammer -
Marteau à frapper
085411



Dent removal aluminium pen
- Outils de débosselage stylo en aluminium
085404



Dent removal clamp - Pince de débosselage
085435



400 W hot glue gun
- Pistolet à colle chaude 400 W / 110-240 V



Rubber mallet -
Marteau caoutchouc
085428



Inertia hammer 200 g
- Marteau à inertie 200 g
085459



Pulling handle -
Poignée de tirage
085442



Plastic wedge
- Cale plastique



Spray bottle 600 ml
- Vaporisateur 600 ml



20 glue sticks
- 20 bâtons de colle
085183 (x10)

GYSMART GPR WORKSTATIONS

EUROPE
087842



Isopropyl alcohol 99.9% - Alcool isopropylique 99,9%
1 L

087859





111 pcs

GYS GPR KIT
085770




Workstation Premium - Servante Premium
076143



Heat gun
- Décapeur thermique
066311




30 glue sticks
- 30 bâtons de colle
085183 (x10)



Dent repair lamp
- Lampe de débosselage
083936



Infrared thermometer
- Thermomètre infrarouge
079922



Slide hammer 1.7kg
- Marteau à inertie 1,7kg
051201



Alu hammers - Marteaux alu
020986



Alu 3
065161
Alu 4
065185

Arc Puller Premium Pro
072572



Steel
079830




4 tooth claw
- Griffe 4 dents
049758



Leveling bar - Barre de débosselage
050693

Glue sticks - Bâtons de colle
x 10
085183



Isopropyl alcohol 99.9% + spray - Alcool isopropylique 99,9% + vaporisateur
082236



1 L 600 ml

Gas hot air gun - Pistolet à air chaud autonome à gaz
060777



Gas included - Bouteille incluse

Blow torch
- Lampe à souder
052741



Gas not included - Bouteille non incluse

Novacet +
Butane/Propane/Propylène
040441



380 ml (220 g)

Pulling Ring M8
for metal rails kit GPR
092938

Set of 6 pencil punches
- Kit de 6 coins de frappe
052888

(p. 36)

3 plastic wedges
- 3 cales plastiques
051294

Pulling hand 3 claws - Poignée de tirage 3 dents
057326

(p. 37)

Slide hammer 500g
Marteau à inertie 500g
057906

(p. 37)

Glue Lifter PRO
090514

(p. 37)

Glue Lifter
057364

included
061392

(p. 37)

Kit 2 clamps for lateral tension
Kit 2 pinces écarteur réglables
600/910mm - 270 kg max
091467

PULLING SYSTEMS

AIRFIX DRAW ALIGNER	41
DRAW ALIGNER	42
FRAME STRAIGHTENING	44
ELECTRO FORCE	47
EASYBENCH	48

INVEST IN THE FUTURE



DRAW ALIGNER

UNIQUE SYSTEM
BREVET GYS — PATENT PENDING — GYS PATENT
EP24150113
US2024246133

Designed for
- TIME SAVING
- DURABILITY
- MAXIMUM GRIP

4 pads :
Seal protection, Perfect stability

4 patins : protection du joint, stabilité parfaite
4 Pads: Dichtungsschutz, perfekte Stabilität
4 piedini: protezione sigillata, perfetta stabilità




Quick & easy set up



Ground anchor by suction
Fast installation

Ancrage au sol par aspiration : installation rapide
Verankerung durch Vakuumbildung – schnell einsatzfähig
Ancoraggio a terra: installazione rapida





Low noise

Smart maintenance




No glue
No tools


Pads - Patins
(x2)
069008


Plate seal
- Joint de plaque
079571

AIRFIX DRAW ALIGNER

Air 5-8 bars
077379
080669


PACK Airfix Draw Aligner + GYS Electro-Force
091825



Airfix Draw Aligner
077379


Kit GYS Electro Force
088894



Electro-force pulling trolley for Airfix draw aligner
Chariot de tirage Electro-Force pour Airfix Draw Aligner
091818

BREVET GYS
GYS PATENT
EP24150113
US2024246133





NEW
091474
Complete winch assembly
Ensemble treuil complet
(included)


ø 6mm
079588
Ultra resistant
No elasticity
(1,5 T max)
(included)



049734
6 tooth
Ø M10 / M14
(included)


NEW
Fine pulling tool
Outil de tirage fin
091108


Option
XL mast for Airfix Draw Aligner
- Mât XL - XL-Mast
083714





Ergonomic


included
Strap - Sangle






350 kg
Uniform pulling force
Force de tirage uniforme
Gleichmäßige Zugkraft
Forza di spinta uniforme




Precision
All directions



Down-pulling
Rocker panel
- Bas de caisse
- Schweller
- Sottoporta



Up-pulling
Upper-parts
- Parties hautes
- Oberteile



Options


Welding sheets kit
- Kit plaques à souder
083493




25 mm (x1 included)
x5
083509


38 mm (x1 included)
x5
083516


50 mm (x1 included)
x5
083523


75 mm (x1 included)
x5
083530

12 tooth claw - Griffe 12 dents
082229




8 tooth claw - Griffe 8 dents
067745



DRAW ALIGNER


PULLING SYSTEMS


Youtube



DRAW ALIGNER

Draw ligner - Équerre de tirage - Schnellausbeul-Richtausleger
052475





OPTION


Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED

Wedge for rocker panel - Câle pour bas de caisse



Pads kit for rocker panel - Kit patins pour bas de caisse






OPTION

Rocker panel arms for draw aligner - Bras de bas de caisse - Abstütztraverse für Richtausleger

052581






OPTION

12 tooth claw for pulling chain
082229









Youtube

DRAW ALIGNER PRO

069244





OPTION

Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED


Plate under the wheel - Câle sous roue **076693**
Compatible with Draw Aligner & Draw Aligner Pro



Wedge for rocker panel - Câle pour bas de caisse



Rocker panel arms and stabilisation bar - Kit bras de bas de caisse et barre de stabilisation









OPTIONS

Pads kit for rocker panel - Kit patins pour bas de caisse
071278



PULL CLAMPS - Pinces de tirage - Ziehwerkzeuge




Manual-locking pull clamp - Mini pince de tirage a blocage manuel
- Mini Klemme von Auflage in Handblockieren
056855



Self-locking pull clamp - Pince de tirage à blocage automatique
- Selbstklemmende Zugklemme
052642




Self-locking pull clamp - Pince de tirage à blocage automatique
- Selbstklemmende Zugklemme
060944



Right angle pull clamp - Pince de tirage à angle droit
- Zugklemme 90° Winkel
052666


SWIVEL CLAMP - Pince pivotante



060968


PULL HOOK - Crochet de tirage - Ziehwerkzeuge

Boomerang pulling hook set - Kit crochet de tirage « boomerang »
- Zughaken Set «Boomerang»
052659




ARCH HOOKS - Passage de roue

Large arch hook
- Crochet passage de roue grande dimension
060982




PULLING CHAIN - Chaînes de tirage - Ziehwerkzeuge


Chain joint double grab hook - Raccord de chaîne double crochet
061156




Chain joint for two clamps - Raccord de chaîne pour deux pinces
061163



Body chain 10 mm - Chaîne de tirage 10 mm
061255






12 tooth claw for pulling chain
082229




WIDE PULL CLAMPS - Pinces de tirage larges


2-way - 2 directions
061217




Multi-way - Multidirections
061224




SMALL PULL CLAMPS - Pinces de tirage faible largeur



Long nose clamp - Pince bec de canard
060951




Small mouth pull clamp - Pince de tirage faible largeur
061231



Box clamp - Pince contournement de rebord
061170


MULTIPLE PULL CLAMP - Pince de tirage multiple

Load spred multi clamp - Pince multiple répartition de charge
060999




45 MM SCISSORS CLAMP - Pince ciseaux largeur 45 mm

061187




90 DEGREE CORNER CLAMP - Pince de tirage pour angle 90°

059757



C TYPE CLAMP - Pince de tirage type C

061200



PINCE DE TIRAGE MULTI-USAGE - Versatile pulling clamp - Multifunktions-Zugklemme

053571






WELDING SHEETS KIT WITH CLAMP - Kit plaques à souder et pince

083493



25 mm (x1 included)	38 mm (x1 included)	50 mm (x1 included)	75 mm (x1 included)
x5 083509	x5 083516	x5 083523	x5 083530

SMART SATELLITE - Satellite intelligent- Satellite Komplett-Kit



The best from Autorobot
www.autorobot.com/pdf/714B_ENG.pdf
MADE IN FINLAND


MADE IN HIGH QUALITY FINLAND

PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1 SATELLITE - Satellite - Satellite Basisbügel-Set

052710





2 KIT MAC PHERSON (A) - Mac Pherson Kit - Befestigungskit- Federbein (McPherson)

052703






3 BARRE POUR TIRER/POUSSER - Push/Pull Bar - Zug/Druck-Stangenset


052673






4 SATELLITE (B) - Bügelverlängerung

052680





5 SANGLE DE SÉCURITÉ - Safety Strap - Sicherungsgurt

044036





6 DOUBLE PINCE SATELLITE (C) - Double Clamp Satellite - Satellite Doppelklemme

052697





MEASURING TOOLS - Mesures - Vermessung

BODYMETER, Mechanical measurements

052130

included





GYSMETER, Electronic measurements

052093



HYDRAULIC CYLINDER KIT - Coffret vérin hydraulique - Hydraulischer Drucksatz

MADE IN CHINA

BASIC 4T
052345



BASIC 10T
052338



PRO 4T
057432



PRO 10T
057449




OPTION



Hydraulic oil 1L - Huile hydraulique 1L
053397

ANCHOR BAR - Barre d'ancrage - Türspanner

MADE IN TAÏWAN



053045

053052



POWER-PULLER 4T

HIGH QUALITY


059740



INERTIA HAMMER KITS - Kits marteau à inertie - Ausziehhammer kit

5 kg
+ 6 hooks
087828

9 kg
+ 6 hooks
085930



ELECTRO POWER - Zug-Druckpresse

with accessories :
057425

ELECTRO POWER
PULLING POWER: 5 Ton. /
PUSHING POWER: 5 Ton. /
PISTON / STROKE: 130 mm



5T
PULLING / PUSHING POWER

INCLUDED



Accessories kit : 425x620x150 mm
Total weight: 20 kg

057418

Standard kit : 425x620x210 mm
Total weight: 18 kg

057401

Li-Ion battery
058514

GYS ELECTRO-FORCE - Zug-Druckpresse

3 speeds - 3 vitesses



3 → 9T
2 → 7T
1 → 5T

NEW

ROBUST · COMPACT · HIGH AUTONOMY




Rubber protection - Protection en caoutchouc


9T PULLING / PUSHING POWER

Complete pack
with battery and accessories :
089075





Standard kit : 425x620x210 mm
Total weight: 18 kg



Accessories kit: 425x620x150 mm
Total weight: 20 kg

088900

Battery and charger included
088894

Battery and charger not included
092105

NEW

4 Ah
High power

Multi-brand battery system - Batterie multi-marques
Li-ion battery


MADE IN FRANCE

Option
Battery lithium 20 V / 4 Ah for GYS Electro Force (Makita compatible)
091771




GYS ELECTRO FORCE
PULLING POWER: 9 Ton. / PUSHING POWER: 9 Ton. / PISTON / STROKE: 130 mm


Spreading / Écarter




Pushing / Pousser




Pressing / Compresser




Pulling / Tirer





Expander tool for GYS Electro Force
- Pince écarteur pour GYS Electro Force
092822

NEW 01/2027



Set of 2 adjustable handles
- Kit 2 poignées orientables
092136

NEW





2 IN 1 LIFTING & PULLING SYSTEM


EASYBENCH 1

max 2.5 t





Compact Bench





260×105×24 cm
560 kg

Easybench table lift
088238



64×31×102 cm
65 kg

Hydraulic power unit with remote control(10 m)
400V 3~ - 16 A - 60Hz/50Hz
090163



60×60×73 cm
60 kg

(x4) Stands - (x4) Tabourets
15.7 in - 40 cm + Trolley
090187



28×10×10 cm
2.6 kg

Extensions (x4)
Réhausses (x4)
2.4 in - 6 cm
090064



NEW

Fixing kit for Easybench
091979



NEW

2 kg

Copper hammer
Marteau en cuivre
091801



NEW 10/2026

Easybench Accessory trolley
Chariot accessoires Easybench
092815

Pulling braquet Easybench - Equerre de tirage Easybench 089242

180×60×50 cm
260 kg



Draw aligner Easybench
Equerre de tirage Easybench



Side pulling arm
Bras de tirage latéral



(x4) Mounting arm + clamps - (x4) Bras de fixation + pinces



Down-pull attachment -
Poulie de traction vers le bas



Pulling chain - Chaîne de tirage



Safety cable - Câble de sécurité



Rails - 2×1.5 m
090729




Pulling clamps -
Pinces de tirage

COMPLETE PACK

	260×105×24 cm 560 kg		64×31×102 cm 65 kg		180×60×50 cm 260 kg	60×60×73 cm 60 kg	28×10×10 cm 2.6 kg	
	 Easybench lifting table 088238	 Fixing kit for Easybench 091979	 Hydraulic power unit with remote control (10 m) 400V 3~ 090163	220V 1~ 090170	 Pulling braquet Easybench - Equerre de tirage Easybench 089242	 (x4) Stands - Tabourets 15.7 in - 40 cm 090187	 (x4) Extensions - Réhausses 2.4 in - 6 cm 090064	 (x2) Hydraulic oil 32CST - 5l 062160
090217	▪	▪	▪		▪	▪	▪	
090224	▪	▪		▪	▪	▪	▪	
090231	▪	▪	▪				▪	▪
090248					▪	▪		

EASYBENCH


LIFTING




Powerful lifting & high security

Adaptable to most cars

Adaptable à la plupart des véhicules





Option



NEW
Set of 4 Easybench anchoring supports
092013



NEW
Set of 4 anchors for Mercedes
092020




NEW
Set of 4 anchors for BMW
092037



Remote control -
Télécommande à distance
10 m






×4





EASYBENCH

PULLING





Fast installation

Installation rapide


Powerful hold

Fixation solide




Fully-rotating draw aligner

Équerre de tirage rotative




Lateral pulling

Traction latérale



Down pulling

Tirage vers le bas





MOBILE LIFTS & TRUCK TOOLS

CAR LIFTS

SPOT LIFT	53
AIR JACKS	53
ERGO LIFT	55
MANUAL DOOR LIFT / WHEEL LIFT	56

TRUCK TOOLS

TROLLEY IW1	57
MULTITOOL TRUCK	57

MOBILE LIFTS

Youtube

OPTIONS

Hydraulic oil 1L
- Huile hydraulique 1 L
053397



Rocker panel lifting tool
- Outil de levage pour bas de caisse
- Auflage für Seitenschweller
053236

SPOT LIFT EASY

max Air 8 bar	SAFE EN 1494
max 2.2 t	


064843



Included
220 bar
053588

1.23 × 0.79 × 0.29 m (LxWxH) / 93 kg

HEALTH CARE



High stability - Haute stabilité



SECURITY




SAFE EN 1494


SPOT LIFT PRO

max Air 8 bar	SAFE EN 1494
max 2.2 t	

053557



Youtube



OPTIONS

Height adjuster for 4x4 & utility vehicles
- Réhausseur pour 4x4 et utilitaires
- Erhöhung f. 4x4 und Leicht-LKW




048751

Pads - Patins
for Audi & BMW
(x 2)
053717



Ramps - Rampes
700 x 200 x 80 mm
(x 2)
056787




AIR JACKS

SAFE EN 1494

60 × 52 × 14.5 cm (LxWxH) / 14.8 kg


DOUBLE BAG AIR JACK 082878
Pressure : 8 bar (116 PSI)
Weight 12 kg



62 × 56.5 × 18 cm (LxWxH) / 17.8 kg

TRIPLE BAG AIR JACK 082885
Pressure : 8 bar (116 PSI)
Weight 14 kg

SAFE EN 1494



WHEEL TROLLEYS
- Tabourets de manutention - Radhocker


048768
650 kg max





MECHANICAL LIFTING JACKS
- Chariots de manutention prise sous roue
- Kfz-Montagelift, fahrbar

071995




Made in China

AUTO ROLL

AUTO ROLL 1.0 m / 1.2 t
059047
117 × 29 × 28 cm (LxWxH)

AUTO ROLL 1.55 m / 1.2 t
063839
172 × 26 × 20 cm (LxWxH)





Included
059054



Option
059061



Youtube


Easy manoeuvring



Maximum comfort



100% Security




Hydraulic Safety



Super compact

Ergo lift 1000 Roll : 395 kg Ergo lift 2000 Roll : 420 kg





Maintenance free

Air 7-8 bars



Pump
082977

Easy connection



Ergo lift 1000 Roll



Without knee joint - Sans genouillère





Ramps essential for vehicles with very low ground clearance - Rampes indispensables pour les véhicules avec garde au sol très basse

Lifting capacity



Lifting height



Ergo lift 2000 Roll



With knee joint - Avec genouillère






Not necessary - Pas nécessaire






OPTIONS 1000 ROLL


Ramps x2 - Rampes x2
700 x 200 x 80 mm
056787




Capacity : max 2 t

Ergo Lift ramps x2 - Rampes Ergo Lift x2
082717





Capacity : max 3.5 t




OPTIONS 1000 & 2000 ROLL

Pads for SUV x4 - Patins pour SUV x 4
065017



Wheel kit - Kit roues
076778






Max 3.2T

Lifting pads x4 - Patins pour levage x 4
088511



Pump support - Support pompe
088047






ERGO LIFT 1000 ROLL

without pump - sans pompe
067950

SAFE EN 1493





2.5 T

0.95 m

included :



Pack ERGO LIFT 1000 ROLL + wheels

076792 =



Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984 =



ERGO LIFT 2000 ROLL

without pump - sans pompe
087460



NEW

SAFE EN 1493



2.6 T

1 m

included :



Pack ERGO LIFT 2000 ROLL + wheels + pump support

089051 =




ERGO DOOR LIFT

Ergonomic door handling trolley
- Support Pro ergonomique de manutention de portière
- Ergonomische Türhandhabungsunterstützung
082670

Youtube

117 x 28 x 27 cm
40 kg

Manufactured by GYS = **SUPER PRO**




Option

Wide door accessory
- Accessoire pour portière large
- breites Türzubehör
082700




77.5 x 15 x 10.5 cm



MANUAL WHEEL LIFT

Wheel lift trolley
- Lève roue à treuil
- Radmontage-Heber
061385

Manufactured by GYS = **SUPER PRO**




TRUCK TOOLS

TROLLEY IW1
Impact wrench trolley -
Support de clé à choc

max 6.5 bar
max 20 kg
063136

Youtube



OPTIONS




Huile hydraulique
- Hydraulic oil
1 l
053397

Weight, vibrations & torque suppression - Suppression du poids, des vibrations et du couple



High dexterity - Liberté de mouvement



High maneuverability & stability - Grande maniabilité et stabilité




MULTITOOL TRUCK

SAFE EN 14238 + A1
max 200 kg
067158

SAFE
EN 14238 + A1






INCLUDED




Lifting tool for brake caliper
- Outil de levage pour étrier de frein - Hebewerkzeug für Bremssattel



Brake caliper



Lifting tool for battery
- Outil de levage pour batterie
- Hebewerkzeug für Batterie




Truck batteries




Lifting tool for wheels
- Outil de levage pour roues
- Hebewerkzeug für Räder



HEALTH CARE











RESISTANCE SPOT WELDING

NEW MACHINES WITH COLOUR SCREEN

SCREEN INTERFACE 61

PTI NEO 62

PTI MASTER / PTI EXPERT 64

PTI GENIUS PLUS 66

G ARMS 68

CONSUMABLES

ACCESSORIES & CONSUMABLES 71


X ARMS / C ARMS 72

PORTASPOT 73

CAR MANUFACTURER REQUIREMENTS


EXIGENCES CONSTRUCTEUR - ANFORDERUNGEN DES AUTOMOBILHERSTELLERS
- REQUISITI DEL PRODUTTORE DI AUTOMOBILI

An example of new generation car body
- Exemple de carrosserie nouvelle génération
- Beispiel einer Karosserie der neuen Generation
- Esempio di carrozzeria di nuova generazione



- HSS - HLE
- VHSS - THLE
- UHSS - UHLE
- Bore - Boron
- Aluminium

MIG/MAG PLUG WELDING - Bouchonnage MIG/MAG



UHSS + UHSS (2.5 + 2.5 mm)




1300 kg

Non-compliant with car manufacturer requirements
- Non conforme aux exigences constructeur

VS

RESISTANCE SPOT WELDING - Soudure par résistance



UHSS + UHSS (2.5 + 2.5 mm)



3300 kg

Same mechanical resistance as original
- Même résistance mécanique qu'un point d'origine

Youtube



INVERTER machine

MANUFACTURER APPROVALS / COMPLIANCE

HOMOLOGATIONS PRODUITS - PRODUKT HOMOLOGATIONEN - PRODOTTI APPROVATI

		Volkswagen Group	BMW / Mini / Rolls Royce	Stellantis	Jeep	Ford	Nissan	Dacia	Renault	Chevrolet	Rivian	Lucid	GM	Suzuki	Tata	Eicher	Kia	Mercedes / smart / Evobus	Volvo	Jaguar / Land Rover	Ford USA	Honda USA	BYD	Nio	Xpeng	Leapmotor	Lynk & Co	Zeekr	Geely	Chery
DENT PULLER	GYSPOT 26.02/27.02				●				●	●																				
	GYSPOT 34.02/04, 36.02/04, 39.02/04, PRO230/400, EXPERT 200/230/400			●	●		●		●	●					●			●	●	●	●			●	●	●	●		●	●	●
	Workstations			●	●		●		●	●								●	●	●				●		●	●	●	●	●	●
	GYSPOT ALU FV			●	●				●	●									●									●	●	●	
	GYSPOT ARCPULL 200			●					●																●	●					
RESISTANCE SPOT WELDER	GYSPOT PTI NEO, MASTER						●		●	●								●	●		●				● Neo						
	GYSPOT PTI EXPERT			●	●		●	●		●	●		●						●	●		●									
	GYSPOT PTI GENIUS PLUS			●	●		●	●		●	●	●	●						●	●		●									
	VAS 821 101B - Spot Welder	●																													
	BMW C7503362		●																												
RIVETING	GYSPRESS 10T							●					●												●		●	●			
	GYSPRESS 10TPP												●							●					●						
	GYSPRESS 10T CONTROL												●	●																	
MIG / MAG	E1, E2, E3 GYS AUTO		●	●	●			●		●	●					● E1	● E1	●		● E2,E3											
	P1, P2, P3 GYS AUTO		●									●	● P3		●				●												
	AUTOPULSE 220-M3		●	●								●	●						●			●	●								
	AUTOPULSE 320-T3		●	●															●	●		●	●								
	VAS 821 005 - Pulse MIG	●																													
	VAS 821 00580 023 (USA)	●																													
PLASMA	EASYCUT 40																								●						●
	CUTTER K25, K35				●					●																					
	EASYCUT 30FV, CUTTER 45CT				●					●					●				●												
	GYSDUCTION AUTO				●				●	●											●										
		Homologated by car manufacturers																		Meets the specifications of car manufacturers											

EMITECH · TÜVRheinland ISO 9001 CERTIFIED · FESVI FRANCE · FOCWA · ktd · Thatcham Quality Assured

COLOUR SCREEN GENERATION

GYSPOT

INNOVATIVE INTERFACE
DRIVING YOUR PRODUCTIVITY

Youtube

Automatic mode

Simplified process/No settings
Instantaneous measurement: type of metal, workpiece thickness, presence of glue

Processus simplifié/Aucun réglage
Mesure instantanée : nature des métaux, épaisseur des tôles, présence de colle



Gyspot PTI
Neo, Master & Expert

Multilingual
Français
English
Deutsch
Español
Русский
Nederlands
Italiano
Português
Polski
Čeština
Svenska
Suomi
Magyar
Türkçe
中文
日本語
Tiếng Việt
繁體中文
한국어
Română
Dansk

Connectivity
USB Update

Gyspot PTI Genius Plus

Additional modes

Synergic



Car manufacturer



Specific Car Manufacturer pre-programmed welding parameters - Points de soudure constructeur préprogrammés

Manual



Modern & easy-to-use interface

G arm & caps catalog




Animated instruction guides



Arms & caps changing, purge, etc.

Traceability



Traceability software
Save spot welding configuration and export data






GYSPOT TRANS GUN
NEO, MASTER & EXPERT


Spot Welding Excellence



G arms
compatibility
p.68 / 15 ref.




Maximum power
Transformer inside




Easy opening
Ideal for difficult access
Ultra fast arm switching



Automatic hydraulic connection



Perfect electrical connection
Maintenance free



Fast open XL (Mechanical)
Easier access
Superior visibility
(model Master, Expert)



Freedom of movement
Gyro
(model Expert)


TRANS GUN	 **Neo** TRANS GUN	 **Master** TRANS GUN	 **Expert** TRANS GUN
Weight	9.7 kg	10.3 kg	11.8 kg
Fast Open XL	—	✓	✓
Gyro	—	—	✓

GYSPOT
PTI NEO

14000 A
550 daN

TRANSFORMER INSIDE | Liquid cooled

IHM 3.5" | Mild steel | HSS | UHSS | Boron



9.7 kg
VERY LIGHT

OPTION



	024779	084834	084841
Gyspot PTI-NEO	400 V 14000 A		208-240 V 13000 A
Caps remover 050846	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G4		▪	▪
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX


78.5 x 58.5 x 64 cm — 6 units/palette

G arms storage



G1, G2, G3 storage

OPTION



G11
8 bar/550 daN
071766



Light & Compact
63 x 76 x 127

4 m

G4 storage

LIQUID COOLING
5 Litres
(not included)

PTI NEO 400V
024779

PTI NEO 208-240V
084841

MADE IN FRANCE — CE NORMA 62135	50/60 Hz	RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables					cm	kg
							(option)		(option)	(option)				
GYSPOT PTI NEO 400V	3 x 400 V	**14000**	**20**	**10**	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m 4x4 mm² H07RNF		63 x 76 x 127	57
GYSPOT PTI NEO 208-240V	3 x 200 V 208 V 230 V 240 V	**14000**	**30**	**10**	6.7 6.9 7.7 8	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m 4xAWG8 (500W)		63 x 76 x 127	62

OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



073449
x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)

EASY USB UPDATE



USB key 16 Gb
062344

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida




2 L 082212
5 L 062511
10 L 052246

Protection cover - Housse de protection - Schutzhaube
088887




NEW

G-clamp front body + protection
084896



RESISTANCE SPOT WELDING
PTI MASTER

FAST OPEN XL (Mechanical)



(model Master, Expert)

GYSPOT PTI MASTER

14000 A
550 daN

TRANSFORMER INSIDE | Liquid cooled

IHM 3.5" | Mild steel | HSS | UHSS | **Boron**

10.3 kg

Light & Compact
63 x 76 x 127

	083264	087965	087972
PTI-MASTER	400V		208-240V
Caps remover	▪	▪	▪
G1	▪	▪	▪
G3		▪	
G2 + G4		▪	▪
G9			▪
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX

78.5 x 58.5 x 64 cm

6 units/palette



4 m

G arms storage



G1, G2, G3 storage

G4 storage

LIQUID COOLING 5 Litres

(not included)

PTI MASTER 400V
083264

PTI MASTER 208-240V
087972

RESISTANCE SPOT WELDING
PTI EXPERT

GYSPOT PTI EXPERT

14500 A
550 daN

TRANSFORMER INSIDE | Liquid cooled

IHM 3.5" | Mild steel | HSS | UHSS | **Boron**

	083943	088009	083950
PTI-EXPERT	400V		208-240V
Caps remover	▪	▪	▪
G1	▪	▪	▪
G3		▪	
G2 + G4		▪	
G9		▪	

11.8 kg

ERGONOMIC Support arm






Gyro included

5 m

FAST OPEN XL



GYRO INTEGRATED



LIQUID COOLING 30 Litres

(not included)


PTI EXPERT 400V
083943

PTI EXPERT 208-240V
083950

MADE IN FRANCE			RMS	AM	Spots/min (max)	Uo	mm		Cables						cm	kg
	50/60 Hz		A	A D curve		V					(option)		(option)			
GYSPOT PTI MASTER 400V	3 x 400 V		**14 000**	**20**	**10**	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²		1 m, Ø 300 mm²		8 m, 4x4 mm² H07RNF	63 x 76 x 127	58
GYSPOT PTI MASTER 208-240V	3 x	200 V	**14 000**	**30**	**10**	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²		1 m, Ø 300 mm²		8 m, 4xAWG8 (500W)	63 x 76 x 127	63
		208 V				6.9										
		230 V				7.7										
		240 V				8										
GYSPOT PTI EXPERT 400V	3 x 400 V		**14 500**	**25**	**10**	7.4	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm²		1 m, Ø 300 mm²		8 m, 4x4 mm² H07RNF	65 x 100 x 230	109
GYSPOT PTI EXPERT 208-240V	3 x	200 V	**12 500**	**32**	**10**	6.5	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm²		1 m, Ø 300 mm²		8 m, 4xAWG8 (500W)	65 x 100 x 230	119
		208 V	**13 000**			6.7										
		230 V	**14 500**			7.4										
		240 V	**14 500**			7.7										

OPTIONS

G-clamp front body + protection
084896



QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823





EASY CONNECTION




Cooling liquid
- Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida



2 L 082212
5 L 062511
10 L 052246

G9 | 8 bar/500 daN
G9 with X1 Included
022881



X1
050501

Protection cover for PTI NEO / MASTER
088887

NEW



Protection cover for PTI EXPERT
088993

NEW





10-14 kg
059696


GYSPOT TRANS GUN

Spot Welding GENIUS PLUS





Maximum power
Transformer inside




Easy opening
Ideal for difficult access
Ultra fast arm switching



Stronger
Ultra high power



Automatic hydraulic connection



Perfect electrical connection
Maintenance free



Freedom of movement
Gyro



Fast open XL (Pneumatic)
Easier access
Superior visibility




Upside down position

GENIUS PLUS

+ precise + adaptable + powerful

Easier to maneuver





ELECTRIC MOTOR

GYSPOT
PTI GENIUS PLUS

14500 A
600 daN


TRANSFORMER INSIDE | Liquid cooled

IHM 7'' | USB | Mild steel | HSS | UHSS | Boron

	083295	089297	083288
Gyspot PTI-GENIUS PLUS	400V		208-240V
Caps remover 050846	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G3 + G4 022898		▪	
Liquid cooling (10L) 052246		▪ (x3)	
Caps type A box 048935		▪	
Protection cover 077126		▪	



Extra-long balancing system



PTI GENIUS PLUS 400V
083295

PTI GENIUS PLUS 208-240V
083288

LIQUID COOLING 30 Litres
(not included)


	MADE IN FRANCE / CE NORM. 62135			RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables					
	50/60 Hz								(option)		(option)	(option)		cm	kg
GYSPOT PTI GENIUS PLUS 400V	3 x 400 V		14 500	25 (17 kVA)		15	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	1.8 m, Ø 300 mm2	1 m, Ø 300 mm²	8 m 4x4 mm² H07RNF	71 x 90 x 200	127.7
GYSPOT PTI GENIUS PLUS 208-240V	3 x	200	12 200	40 (16-19 kVA)		15	6.6	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	1.8 m, Ø 300 mm2	1 m, Ø 300 mm²	8 m 4xAWG8 (500W)	71 x 90 x 200	136.2
		208	12 700				6.9								
		230	14 000				7.3								
		240	14 500				7.9								

OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



073449
x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)




Cooling liquid
2 L 082212
5 L 062511
10 L 052246



for PTI GENIUS PLUS
077126

G9 | 8 bar/500 daN
G9 with X1 Included
022881



X1
050501



NEW
G PLUS Balancing system lift
089105



QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823




G ARMS

for GYSPOT PTI Neo / Master / Expert / Genius PLUS / BP Genius / PTI GENIUS


Reversible

for G1, G3, G4, G5, G8, G10 & G12




G Arms - Caps Ø13 mm — **Isolated arms** - Bras isolés - Isolierte Bügel

G1 Reversible
8 bar
PTI Neo/Master/Expert: 550 daN
PTI Genius PLUS: 600 daN
022768




Option
G1/G3-SA (Small Access)
067653


G2
8 bar/300 daN
022775



G6
8 bar
PTI Neo/Master/Expert: 550 daN
PTI Genius PLUS: 600 daN
022812




G3 Reversible
8 bar
PTI Neo/Master/Expert: 550 daN
PTI Genius PLUS: 600 daN
022782




Option
G1/G3-SA (Small Access)
067653


G4 Reversible
8 bar
PTI Neo/Master/Expert: 300 daN
PTI Genius PLUS: 330 daN
022799




Option
G4-SA (Small Access)
064478




G5 Reversible
8 bar
PTI Neo/Master/Expert: 550 daN
PTI Genius PLUS: 600 daN
022805



Option
G5/G10-SA (Small Access)
067660




G7
8 bar/150 daN
022829




95 mm
051614

155 mm
089228


G11
8 bar
PTI Neo: 550 daN
for PTI NEO
071766




G8 Reversible
8 bar
PTI Neo/Master/Expert: 550 daN
PTI Genius PLUS: 600 daN
022836




Option
G8-SA (Small Access)
067677




G10 Reversible
8 bar
PTI Neo/Master/Expert: 370 daN
PTI Genius PLUS: 400 daN
067165




Option
G10/G12-SA (Small Access)
067660




G12 Reversible
8 bar/300 daN
075238



Option
G10/G12-SA (Small Access)
067660




G14 Reversible
8 bar
PTI Neo/Master/Expert: 550 daN
PTI Genius PLUS: 600 daN
080942




G ARMS PANELS

G2 + G3 + G4
022898



G2 + G3 + G5
063297



KIT SMALL ACCESS GENIUS

077072
included **SA** 073579
for PTI GENIUS / GENIUS PLUS

+ **G1/G3-SA** (Small Access)




+ **G4-SA** (Small Access)




+ **G5/G10/G12-SA** (Small Access)



+ **G8-SA** (Small Access)





Option
Kit de maintenance connecteurs pince G
- Connectors maintenance kit for G clamp
067295



Youtube

G › X UNIQUE SYSTEM


AUTOMATIC WELDING FOR X1, X2 & X6

PATENT PENDING — **BREVETÉ / PATENTED** n° US 11,618,097

G9 with X1 included
8 bar/500 daN
for GYSPOT PTI MASTER / EXPERT / Genius PLUS / BP Genius / PTI GENIUS
022881


Support included | 550 daN | 4.84 kg

External cooling



X1
050501

Options for G9




X2
050518

X6
050587

X4A
020702



90284 + 55121
for BP-G < Oct. 2019



X4 combination
X4A + X4A

Selection guide

GUIDE DE CHOIX - LEITFADEN ZUR AUSWAHL

Colour Screen Generation











	PTI NEO	PTI MASTER	PTI EXPERT	PTI GENIUS PLUS
Machine type - Type de machine	Transformer in the clamp	Transformer in the clamp	Transformer in the clamp	Transformer in the clamp
Arm - Bras	G	G	G	G
Max welding current - Courant de soudage max	13000 A	13000 A	14500 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN	600 daN
Clamp weight - Poids de la pince	9.7 kg	10.3 kg	11.8 kg	12.4 kg
Light & compact - Compact et léger	•	•	—	—
Electrode with over-opening - Électrode avec sur-ouverture	—	Mechanical	Mechanical	Pneumatic
Welding max frequency - Cadence max de soudage	10 pts/min	10 pts/min	10 pts/min	15 pts/min
Automatique mode - Mode automatique	•	•	•	•
Cooling system - Système de refroidissement	5 litres	5 litres	30 litres	30 litres
Duty cycle - Facteur de marche	★★★	★★★	★★★★	★★★★★
Number of spots before thermal protection - Nombre de points avant protection thermique **10 pts/min at 25°C 2.4mm (2x1.2mm)**	35	35	100	200
Gyro - Gyro	—	—	•	• Ball bearing Gyro
Balancing arm - Avec potence	—	—	•	• Electric, adjustable height
Balancing arm length - Longueur potence	—	—	140 cm	210 cm
Colour screen generation - Génération d'écrans couleur	3,5 " Colour Screen	3,5 " Colour Screen	3,5 " Colour Screen	7 " Colour Screen
Software update & Traceability - Mise à jour logicielle et traçabilité	USB	USB	USB	USB
Clamp cable length - Longueur faisceau pince	4 m	4 m	5 m	6 m
Mains cable length - Longueur câble secteur	8 m	8 m	8 m	8 m
Disconnectable clamp - Pince déconnectable	—	—	•	•
Single sided gun - Pistolet monopoint	(Option)	(Option)	(Option)	(Option)
Balancing system cable lock - Blocage du cable de la potence	—	—	—	•

ACCESSORIES & CONSUMABLES

X/C/G CONSUMABLES - Consommables X/C/G

Type A
C or X clamp
Ø 13 mm (x6)
049987

Type B
C or X clamp
Ø 13 mm / Ø 5 mm (x6)
055506

Type D
C or X clamp
Ø 13 mm (x10)
058507

TYPE F
For single sided gun
Ø 13 mm (x6)
049970

TYPE G
Ø 13 mm (x10)
059672

Caps inclinés - Beveled
X2, X4,C11 arms
Ø 13 mm (x6)
049994

NEW
CAPS
for roof panel welding / ultra slim 6 mm width
Ø 13 mm (x2)
092945



Caps type A box
048935
x40

Caps type F box
077119
x40

073449



x20
x6
x2



Contact grease
Graisse contact
80 g
050440



Caps remover
050846



Anti-corrosion welding primer - Primaire de soudage anti-corrosion
500 ml
076822



Spot / Monopoint
049291

050068



x10
x18
x6
x18

CAP GRINDER - Affuteur de caps


Youtube

Lame - Blade
052857

048966

Optimal speed : 400~800 rpm





STEEL SHEET TRACTION BENCH
- Banc de traction arrache tôle - Blech-Zugbank zur Festigkeitsprüfung



052420



052321
(included)

WELD TEST KIT - Valise test soudure HLE / THLE
- Schweißtestkit im Hartschalenkoffer

050433



Barre d'arrachage / Traction bar
+ **Acier doux / Mild steel** 0.65 (x25) + 1.0 (x25)
+ **Acier HSLA 360 - HLE** 0.8 (x25)
+ **Acier DP600 - THLE/UHLE** 1.0 (x25)
+ **Acier FB560 - THLE/UHLE** 2.5 (x25)

PROTECTION COVER - Housse de protection - Schutzhaube

NEW
for PTI NEO / MASTER
088887



NEW
for PTI EXPERT
088993





for PTI GENIUS / GENIUS PLUS
077126

COOLING LIQUID
- Liquide de refroidissement
- Kühlmittel - Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246



ANTI-ARC PROTECTION 12V
- Protection anti–arc 12 V
- Lichtbogenschutz 12 V- Protección anti-arco 12V

041318



ELECTRODE FORCE SENSOR
- Capteur d'effort


052314



SHEETS SET
- Echantillons de tôles


Acier standard / Standard steel
0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25)
+ Alu
1 (x45) + 1.5 (x30) + 2 (x20)

055841



X ARMS for GYSPOT 32D-X, 100R-CX, BP-LX

Caps Ø13 mm




X4A 8 bar/150 daN
020702


X4 combination




X4A + X4A




X1 8 bar/550 daN
050501




X2 8 bar/400 daN
050518



X6 8 bar/400 daN
050587




X4 8 bar/120 daN
050532




X5 8 bar/200 daN
050549

C ARMS for GYSPOT PTI


Caps Ø13 mm




C1 8 bar/550 daN
021402




C5 8 bar/550 daN
022393




C8 8 bar/550 daN
021440




C2 8 bar/550 daN
022386



C6 8 bar/300 daN
022409




C3 8 bar/550 daN
021419




C7 8 bar/550 daN
021433


Option for C7

C7-SA (Small Access)
067684






C4 8 bar/550 daN
021426




C12 8 bar/550 daN
022997




C9 8 bar/550 daN
020078

Option for C9

C9-SA (Small Access)
067660






Bras isolés
- Isolated arms - Isolierte Bügel

PTI arm support kit
077577



Arm lock pin
062405







C ARMS PANELS

C2 + C3 + C4
060821

ALL IN 1 BOX

Convert PTI S-7 to Premium Pro

C ARMS ▶ **G ARMS**

Kit Renov PTI Premium Pro




400V
072541

Tank draining kit - Kit de purge réservoir - Kit zur Tankentleerung
058286



RESISTANCE
SPOT WELDING

Youtube



PORTASPOT 230

6 300 A 120 daN

Air cooled

230V
022256




for vintage cars

Not compatible with **HLE/THLE**

DELIVERED WITH **PX 1**

ARMS Ø 23 mm



PX1 (included) 047945
PX2 047938
PX3 047921
PX4 047914
PX5 048690

ELECTRODES

EX40 Short electrode 40 mm 047884
EX60 Medium electrode 60 mm 047891
EX80 Long electrode 80 mm 047907

CAPS & ACCESSORIES

Caps type F (x 6) 049970
Caps remover 050846
Blade - Lame 052857
Cap grinder - Affuteur de caps 048966





	AM	RMS	MAX		Uo	Cable		100% CU	
50/60 Hz	A	A	A	mm	V	m	Ø mm²		LxWxH cm / kg
1 x 230 V	**16(D)**	**6 300**	8 900	2+ 2	2.45	2.5	3x2,5 H05VVF	OK	41 x 18 x 22 / 11.3





RIVETING

GYSPRESS 10T 74
GYSPRESS PREMIUM 10T PP 75
GYSPRESS 10T COBRA 77
GYSPRESS 10T PP CONTROL 78

ADAPTERS 80
DIES BOXES & RIVETS 82

ACCESSORIES 85


GYSPRESS 10T

6.5 bar	100 kN
10 t	

063303
070653

Youtube





43.5 mm
(no dies)
18.5 mm with B1/B2 dies

US version
070653



Pressure gauge
Psi



Discharge lever
- Levier de décharge - Auslösehebel

Speed control - Contrôle de la vitesse - Regelung Werkzeuggeschwindigkeit



Pressure control
- Contrôle de la pression - Druckregelung

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE
100 % No air inclusion
maintenance free, no oil refill

Standard tool box 10T


053694

×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×1	×2	×4	
A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2	key - clé	seals - joints	×1
Self-piercing rivets				Flow-form rivets		Extraction			Punching				
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6	—	Ø 3.3 › 4.8	Ø 3.9 › 5.3		Ø 6				

GYSPRESS 10T / 10T COBRA



085091



HR110
063310

XT11.21 - Extension for HR110 & HR210
058644



Standard tool box
10T : 053694
10T Cobra : 089211



6 x 50 rivets RAP - Nieten SPR
048706

Strap-Sangle-Gurt



HR arm locker



Handle - Poignée - Griff

GYSPRESS 10T 063303 / 070653	✓

PUSH PULL
PREMIUM

GYSPRESS PREMIUM 10T PUSH PULL

6.5 bar	100 kN
10 t	

077065
070660



Option
Hydraulic pump removal tool - Outil de démontage de pompe hydraulique
086852






US version
070660

Pressure gauge
Psi

HYDRAULIC SYSTEM fermé - closed - geschlossen


UNIQUE
100 % No air inclusion
maintenance free, no oil refill

UNIQUE
PUSH PULL SYSTEM by GYS



LARGE OPENING

MORE ACCESS



48.5 mm
(no dies)
23.5 mm with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

WORK FASTER



Push/Pull selection - Sélection Push/Pull

MANUAL PULL MODE



OPENING CONTROL

Manual/Automatic selection - Sélection Manuel/ Automatique



Pressure control
- Contrôle de la pression
- Druckregelung



Speed control
- Contrôle de la vitesse
- Regelung Werk-zeuggeschwindigkeit

GYSPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS





HR110
063310



XT11.21 - Extension for HR110 & HR210
058644



Standard 10T Push Pull tool box
058361



6 x 50 rivets RAP - Nieten SPR
048706



Strap-Sangle-Gurt



HR arm locker



Poignée-Handle-Griff



HR210 + HR310
064089



24kN adapter
063822



Trolley+support
055391

GYSPRESS 10T PREMIUM PUSH PULL 077065 / 070660	✓			
GYSPRESS 10T PP pack 1 082519		✓		
GYSPRESS 10T PP pack 2 082526			✓	
GYSPRESS 10T PP pack 3 082533		✓		✓


MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	LxWxH cm / kg
GYSPRESS 10T	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	•	41 x 18.5 x 6.5	6.2 (HR110 included)	58 x 50 x 15 / 12.1
GYSPRESS 10T PREMIUM PUSH PULL	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	+~–	39.5 x 180	6.7 (HR110 included)	59 x 50 x 16 / 13.1

BRAS DE RIVETAGE - RIVETING ARMS - STANZNIETBÜGEL



KIT WITH HR210 + HR310
064089





	HR110	HR210	HR310 8T PP/10T/10T PP
	063310	063327	063334
GYSPRESS 8T	✓	✓	—
GYSPRESS 10T	✓	✓	✓
GYSPRESS 8T PUSH PULL	✓	✓	✓
GYSPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T CONNECT	✓	✓	✓

included **XT31-78** (78 mm)
058637


XT31-40
Rallonges bras HR310 pour point millieu
- HR310 arm extension for middle point

Compatible
8T PP/10T/10T PP
x2

066335

x2





OPTIONS



Riveting machine support for changing accessories (arms & dies)
- Support Riveteuse pour changements d'accessoires (bras & matrice)
- Supportständer

28 x 40 x 21,5 cm
45 x 39 x 20 cm / 7.2 kg

054158



Trolley - Chariot

74 x 51 x 81 cm
80 x 123 x 15 cm / 44 kg

054233



Trolley + Support
Chariot + Support

51 x 74 x 122 cm
51.2 kg

055391





Pressure sensor
- Capteur d'effort
062115

Hydraulic body wrenches
(x 2)
067325



Temporary - Serre-tôles - fasteners manual mounting

(×10)
Ø 2,4 mm
069664



(×10)
Ø 4,0 mm
069671



(×10)
Ø 4,8 mm
069688



(×10)
Ø 6,4 mm
069695



GYSPRESS

GYSPRESS 10T COBRA

6.5 bar	100 kN
10 t	

088719




- ✓ LARGE OPENING
- ✓ FASTER
- ✓ ERGONOMIC

NEW

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE 100% No air inclusion
maintenance free, no oil refill

LARGE OPENING




MORE ACCESS

53.5 mm (no dies)
28.5 mm with B1/B2 dies


ERGONOMIC AND FAST

3 TRIGGER POSITIONS


Fast pneumatic closure - Fermeture pneumatique rapide




< 1 s




Hydraulic pressure-assisted riveting positioning - Positionnement de rivetage par pression hydraulique





Automatic discharge - Décharge automatique







Pressure control - Contrôle de la pression - Druckregelung

Standard tool box 10T COBRA 089211

×1	×1	×1	×1	×1	×1	×2	×1	×1	×2	×4	×1	PATENTED
A1	A2	B1	B2	F1	F2	D17	E2	E3				×1 ×3 ×1
Self-piercing rivets				Flow-form rivets		Extraction			key - clé	seals - joints		T17 T18 T19
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.9 › 5.3					Punching
												Ø 6

Patented dies - matrices brevetées

✓ **High performance punching without Push Pull system -**
Poinçonnage haute performance sans système Push Pull

details p.84




GYSPRESS 10T COBRA
088719



HR110
063310

+ **XT11.21** - Extension for HR110 & HR210
058644

+ 

Standard tool box
10T : 053694
10T Cobra : 089211

+ 
6 x 50 rivets RAP - Nieten SPR
048706

+ 
Strap-Sangle-Gurt

+ 
HR arm locker

+ 
Handle
- Poignée
- Griff


Filling bulb
- Poire de remplissage
091412

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	LxWxH cm / kg
GYSPRESS 10T COBRA	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	•	39.5 x 18.7 x 6.5	6.6 (HR110 included)	58 x 50 x 15 / 12.5

SYNERGIC
RIVETING WORKSTATION
PNEUMATIC HYDRAULIC

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE 100% No air inclusion
maintenance free, no oil refill

SYNERGIC RIVETS SETTINGS

Main panel



ACCESSIBILITY
16 languages

FR GB DE IT ES PR CZ NL SE RU CN JP VN FI TR


3 MODES

MANUAL
SYNERGIC
CAR MANUFACTURERS


CAR MANUFACTURERS COMPATIBILITY

✓ VW GROUP	✓ FERRARI
✓ MERCEDES-BENZ	✓ FORD
✓ BMW	✓ RENAULT ALPINE
✓ TESLA	✓ GM


CONNECTIVITY



TRACEABILITY
History data export



SOFTWARE UPDATE
Gyspress evolutions



Youtube

UNIQUE PUSH PULL SYSTEM by GYS

PUSH PULL SYSTEM by GYS



Sélection Push/Pull - Push/Pull selection



Gyspress support





NEW
Protection cover - Housse de protection - Schutzhaube
088887


REGULATED PRESSURE CONTROL

POWER 10t

Arms support








Discharge lever
- Levier de décharge
- Auslösehebel





WORKSTATION GYSPRESS 10T PP CONTROL

6.5 bar	100 kN
10 t	

063860

included



HR110
063310



XT11.21 - Extension for HR110 & HR210
058644



Standard 10T PushPull tool box
058361



6 x 50 rivets RAP - Nieten SPR
048706



Strap-Sangle-Gurt



HR arm locker



Poignée-Handle-Griff

MADE IN FRANCE		AIR BAR	PRESSURE CONTROL	SPEED CONTROL	LxWxH cm / kg	LxWxH cm / kg
WORKSTATION GYSPRESS 10T PP CONTROL	230 V	6.5 bar = 10 t (maxi 8 bar)	0 > 6.5 bar	+~−	74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

OPTIONS

Pressure gauge - Capteur d'effort
10T PP CONTROL
071759



Youtube


Hydraulic body wrenches
for GYSPRESS 10T, 10T PushPull, 10T PP CONTROL
(x 2)
067325



Hydraulic pump removal tool
086852



BLIND RIVET ADAPTERS - ADAPTATEURS POUR RIVETS AVEUGLES




Compatibility
- GYSPRESS 10T
- GYSPRESS 10T COBRA
- GYSPRESS 10T PUSH PULL
- GYSPRESS 10T PUSH PULL PREMIUM
- GYSPRESS 10T CONNECT

Youtube

BLIND RIVET ADAPTER 24 KN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

24 kN STANDARD 600 mm 063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8




INCLUDED
058446
for standard rivets :
Ø 3.2 x 1 059221
Ø 3.6 x 1 059238
Ø 4.0 x 1 059245
Ø 4.5 x 1 059252

24 kN COMPACT 600 mm 077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD



INCLUDED
058446
for standard rivets :
Ø 4.5 x 1 081222
Ø 5.2 x 1 079939

OPTION
for extraction of self piercing rivet :
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

HIGH ACCESSIBILITY



SPECIFIC STORAGE



PERFECT COMBO WITH ARCPULL

SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten

1. Stainless steel rod welding with GYSPOT Arcpull 350/700



2. Extraction of self piercing rivet with GYSPRESS adapters



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN 064584

Stainless steel nail - Tige inox Ø 4 x 50 mm 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox	Mandrel support - Support porte-goujon 059634	Nozzle + pad - Buse + patin 059641	mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
×100	×1	×1	×1	×1	×1

BLIND RIVET ADAPTER 50 KN - Adaptateur 50 kn pour rivets aveugles - Blindnietadapter 50 kN



For BLIND rivets - Pour rivets POP - Für Blindniet
Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard



Complete kit 065987



OPTIONS


Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144



Ø 8.0 → 9.8

Ø8.0/9.8mm noze-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



M5 → M14
M5 → M8

Blind rivet nut pulling, Blind rivet bolt adapter kit - Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



included
- M5 066083
- M6 066090
- M8 066106
- M10 066113
- M12 066120
- M14 066137

OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN 073388

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Mandrel support - Support porte-goujon 059634	Buse + pad 059641	Buse d'extraction 50Kn Ø 5 066151
×100	×1	×1	×1	×1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700 068452

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Buse d'extraction 50Kn Ø 5 066151	Mandrel support - Support porte-goujon 071377	Buse + pad 059641		Ring holder 059610	Rod for pulling rings - Fourche pour anneau 071384	Vis de butée
×100	×1	×1	×1	×1	×2	×1	×1	×1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168



+ demo metal sheet - plaque de démonstration

Blind rivet nuts - Écrous à sertir						
	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
	x 50 066175	x 50 066182	x 50 066199	x 50 066205	x 50 066212	x 10 066229
+	× 10	× 10	× 10	× 10	× 10	× 5


Blind rivet bolts - Goujons à sertir			
	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
	X 50 066236	X 50 066243	X 50 066250
+	× 10	× 10	× 10

Blind rivets - Rivets aveugles		
	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
	x 50 066267	x 50 066274
+	× 10	× 10

SPR
Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen




SR
Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen



FFR / CFFR
Application of Flow-form rivets
-Pose de rivets Flow-Form
- Setzen v. Fließformnieten



Extraction de rivets
- Extraction of rivets
- Niet-Auspressen



Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen



DIES BOXES - Boîtes matrices - Matrizensätze


STANDARD



STANDARD 8T/10T for 8T 10T
053694

STANDARD 10T COBRA for 10T COBRA
089211

Included **XT31-60**
- 60 mm extension for HR310 (for 10T COBRA)



	×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×1	×1	×1	×3	×1	×2	×4	×1
STANDARD 8T/10T →	A1	A2	B1	B2	F1	F2	D17	E1	E2	—	T1	T2	—	—	—			
STANDARD 10T COBRA →								—		E3	—	—	T17	T18	T19	key - clé	seals - joints	
	Self-piercing rivets				Flow-form rivets		Extraction			Punching								
	Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6	—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6									

STANDARD 8T/10T PUSH PULL




for 8T PP 10T PP 10T CONTROL
058361

Included **XT31-60**
- 60 mm extension for HR310 (use with ST1, T5, T7) 057135

	×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×1	×1	×2	×4	×1
	A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7	key - clé	seals - joints	
	Self-piercing rivets				Flow-form rivets		Extraction			Punching					
	Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6	—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6						

Ideal for aluminum & mild steel
- Idéal aluminium et aciers doux

Low pressure



KIT RMB PP05
for 10T PP 10T CONTROL
066366



×1	×1	×1
ST3	T12	T13
Punching		
Ø 6.7		

Ideal for UHSS, Boron - Idéal aciers durs, Boron

BREVET GYS / GYS PATENT n° US 11,712,732

Ne pas utiliser avec une Gyspress 8T & 8T PP - Do not use with Gyspress 8T & 8T PP

HIGH pressure



KIT RMB 08 PREMIUM
for 10T 10T PP 10T CONTROL
066403



×1	×1	×1
T14	T15	T16
Punching		
Ø 6.7		

Flow-Form Ø 6 mm

KIT RMB 14 PREMIUM
for 10T 10T PP 10T CONTROL
071186



×1	×1	×1
T17	T18	T19
Punching		
Ø 6		

Flow-Form Ø 8 mm

KIT RMB 15 PREMIUM
for 10T 10T PP 10T CONTROL
071193



×1	×1	×1
T20	T21	T22
Punching		
Ø 8		

Punching Ø 10 mm holes

KIT RMB 16 PREMIUM
for 10T 10T PP 10T CONTROL
080867



×1	×1	×1
T23	T24	T25
Punching		
Ø 10		


GM



RMB 11 for 10T 10T COBRA
071087

RMB PP04 for 10T PP 10T CONTROL
071063

Included **XT31-60**
- 60 mm extension for HR310



	×1	×1	×1	×1	×1	×1	×1	×1	×1	×3	×1	×1	×2	×2	×4
RMB 11 →	F1	F6	F25	E9	E11	—	—	—	T17	T18	T19	D18	D17		
RMB PP04 →						ST1	T5	T7						key - clé	seals - joints
	Flow-form rivets			Extraction		Punching									
	Ø 6			SPR		Ø 6									

FERRARI



RMB 06
for 10T 10T COBRA 8T PP 10T PP 10T CONTROL
059009




×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×2	×4
B4	B5	B6	S3	S7	S8	D17	E1	E2	E13		
Self-piercing rivets						Extraction				key - clé	seals - joints
Ø 3.9	Ø 4.75	Ø 3.9	Ø 4.75			—	—	Ø 3.9	Ø 4.75		

VW GROUP



RMB 03 for 8T 10T 10T COBRA 8T PP 10T PP 10T CONTROL
054257




×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	×4
A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16	key - clé	seals - joints
Self-piercing rivets					Solid rivets			Extraction									Punching									
Ø 3.2 › 3.5	Ø 5 › 5.3	Ø 3.9	Ø 4.75		Ø 4	Ø 6		Ø 3.2				Ø 5.3	Ø 3.9 › 5.3	Ø 3.2		Ø 5.3	Ø 8	Ø 4.8	Ø 4 › 8	Ø 4	Ø 8	Ø 6				

NIO



Included **XT31-60**
- 60 mm extension for HR310

RMB PP08 for 10T 10T COBRA 10T PP 10T CONTROL
072404




×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×3	×1	×2	×1	×2	×4
B1	B2	F1	F6	F25	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18	key - clé	seals - joints
Self-piercing rivets		Flow-form rivets			Extraction		Punching									
Ø 5.3		Ø 6			SPR		Ø 6									

MERCEDES-BENZ



RMB 07 for 10T 10T COBRA
064454

RMB PP01 for 8T PP 10T PP 10T CONTROL
058378



	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×2
RMB 07 →	F1	F2	F3	F45	F5	E9	E10	E11	T1	T2	T3	T4	—	—	—	—	—	—	
RMB PP01 →									—	—	—	—	ST1	T5	T7	ST2	T8	T10	clé -key
	Flow-form rivets					Extraction			Punching										
	Ø 6 - A1/2/3, S0/1/2/3/4/5/6		S28/38/48 /58/68		S08/18	Ø 6 › 8	Ø 8	Ø 6	Ø 6		Ø 8		Ø 6			Ø 8			


Included **XT31-60** - 60 mm extension for HR3

PORSCHE



RMB 10 for 10T 10T COBRA
069299

RMB PP06 for 10T PP 10T CONTROL
069305




	×1	×1	×1	×1	×1	×1	×1	×1	×3	×1	×2	×2	×4
RMB 10 →	B3	F25	E9	E11	—	—	—	T17	T18	T19	D17		
RMB PP06 →					T5	ST1	T7					key - clé	seals - joints
	Flow-form rivets		Extraction		Punching								
	Ø 6		SPR		Ø 6								

Included **XT31-60** - 60 mm extension for HR310

FORD



RMB PP02 for 10T 8T PP 10T PP 10T CONTROL
058835



	×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	×4
RMB PP02 →	B1	G1	G2	G3	G4	G5	G6	E7	E12		
	Self-piercing rivets							Extraction		key - clé	seals - joints
	Ø 5 › 5.3							SPR			


Included **XT31-60** - 60 mm extension for HR3 (use with E7 & E12) 057135

RIVIAN



RMB 17 for 10T 10T COBRA
085909

RMB PP09 for 8T PP 10T PP 10T CONTROL
085893



	×1	×1	×1	×2	×1	×1	×1	×1	×1	×1	×1	×3	×1	×2	×4
RMB 17 →	F3	F45	F5	D17	E11	E15	—	—	—	T20	T21	T22			
RMB PP09 →							ST2	T8	T10	—	—	—	key - clé	seals - joints	
	Flow-form rivets			Extraction			Punching								
	S28/38/48/58/68		S08/18	SPR			Ø 8								

Included **XT31-60** - 60 mm extension for HR3 057135


TESLA



RMB 18 for 10T 10T COBRA
090798

RMB PP10 for 8T PP 10T PP 10T CONTROL
090804

Included **XT31-60** - 60 mm extension for HR310




NEW	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×1	×1	×2	×4
RMB 18 →	B1	H1	H2	H3	H4	H5	H6	H7	H8	F3	F45	F5	D17	E11	E15	—	—	—	T20	T21	T22		
NEW RMB PP10 →																ST2	T8	T10	—	—	—	key - clé	seals - joints
	Self-piercing rivets									Flow-form rivets			Extraction			Punching							
	Ø 5 › 5.3			Ø 5.3						S28/38/48 /58/68		S08/18	SPR			Ø 8							

JAGUAR / LAND ROVER



RMB 12 for 10T 10T COBRA
071094

RMB PP07 for 10T PP 10T CONTROL
071070




	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×3	×1	×1	×2	×2	×4
RMB 12 →	B1	B3	I1	I2	I3	F1	F6	F25	E3	E13	—	—	—	T17	T18	T19	D18	D17		
RMB PP07 →											ST1	T5	T7						key - clé	seals - joints
	Self-piercing rivets					Flow-form rivets			Extraction		Punching									
	Ø 5 › 5.3					Ø 6			SPR		Ø 6									

Included **XT31-60** - 60 mm extension for HR310

BMW



RMB 01 for 10T 10T COBRA 8T PP 10T PP 10T CONTROL
054240




×1	×1	×1	×1	×1	×1	×2	×4
A1	A2	B1	B2	E1	E2		
Self-piercing rivets				Extraction		key - clé	seals - joints
Ø 3.2 › 3.5	Ø 3.3	Ø 5.3	Ø 5.3	SPR			

LUCID



RMB 20 for 10T 10T PP 10T CONTROL 10T COBRA
092068

NEW



×2	×1	×1	×2	×3	×2	×2	×1
F7	F1	F25	E15	T3	D17	key - clé	Rivet centre punch
Flow-form rivets			Extraction				
Ø 6			SPR				

Included

XT31-60 - 60 mm extension for HR3 057135

XT11-21 - Extension for HR110 & HR210 058644

×2 **XT31-40** - 40 mm extension for HR3 066335

DIES - Matrices - Matrizen

SPR
Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen

2.0 < 6.5 mm | 3 < 5,8 bar

SR
Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen

2.3 < 8.3 mm | 5,3 < 8 bar

FFR / CFFR
Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten

2.3 < 8.3 mm

Extraction of rivets
- Extraction de rivets
- Niet-Auspressen

2.3 < 8.3 mm | 8 bar

Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen

2.3 < 8.3 mm | 8 bar

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	Ø 8 ×1	×1
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759
A1+A2		B1+B2																		
054295		054301																		

×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
D15	D16	D17	D18	E1		E2	E3	E6	E7	E9	E10	E11	E12	E13	E15	F1	F2	F3	F25	F45
056077	056084	055681	071155	055865	054288	055766	057005	057142	057159	058606	058613	058620	058828	059085	088573	055773	055780	055797	090781	083547
				E1+E2												F1+F2				
				054318												054714				

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
F5	F6	F7	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	J1	J2
055810	071148	091139	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131	071674	071902

									Ø 6 ×1	Ø 6 ×5				Ø 6 ×1		Ø 8 ×1		Ø 6.7 ×1	
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1		T2	T3	T4	T5	T7	T8	T10	T12	T13
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078	057104	055827	055834	058019	058033	058040	058064	066373	066380
									T1+T2										
									054707										

PATENTED

Ø 6.7 ×1	×1	×5	×1	×1	Ø 6 ×1	×5	×1	×1	Ø 8 ×1	×5	×1	×1	Ø 10 ×1	×5	×1
T14	T15		T16	T17	T18		T19	T20	T21		T22	T23	T24		T25
066410	066427	068964	066434	069312	069329	071254	069336	070936	070943	071261	070950	082830	082847	082861	082854

PATENTED
BREVET GYS GYS PATENT
EP3932583
US 11,712,732

Fast installation of the punch
1
Installation rapide du poinçon

High performance for UHSS/Boron
2
Haute performance pour UHSS/Boron
Longevity ×5

Punch easy removal without Push Pull system
3
Poinçon facile à retirer sans système Push Pull

Perfect result
Consistently precise punching - Perçage toujours précis

RIVETING ARM EXTENSION
- Rallonge bras riveteuse

×1	×2	×1	×1
XT 11.21	XT 31-40	XT 31-60	XT 31-78
058644	066335	057135	058637

SELF PIERCING RIVETS (SPR)
- Rivets autoperçants (RAP) - Stanznieten




Steel - Acier - Stahl

Complete box
048706

Ø 3,3 x 3,5 mm x 50	Ø 3,3 x 4 mm x 50	Ø 5,3 x 4 mm x 50	Ø 5,3 x 5 mm x 50	Ø 5,3 x 6 mm x 50	Ø 5,3 x 8 mm x 50	Ø 5,3 x 7 mm	Ø 5,3 x 9 mm
x 200 048232	x 200 048249	x 100 048256	x 100 048263	x 100 048270	x 100 048225	x 100 048638	x 100 048645

SPECIAL CENTER PUNCH
- Pointeau centreur - Spezialkörner

048379



HYDROPNEUMATIC TOOL FOR BLIND RIVETS
Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

HR90



NEW

max 9 230 N
089976

For BLIND rivets - Pour rivets POP - Für Blindniet

Steel / Acier	Ø 3.2/4.0/4.8
Alu	Ø 3.2/4.0/4.8

Made in China

HR120



NEW

max 11 800 N
089983

For BLIND rivets - Pour rivets POP - Für Blindniet

Steel / Acier	Ø 4.0/4.8/6.4
Alu	Ø 4.0/4.8/6.4


Made in China

HR185

max 18 500 N (5-7 bar)
H 327 x L 21 mm / 2.3 kg
085923



Suction - Aspiration



For BLIND rivets - Pour rivets POP - Für Blindniet



max Ø 4.5 | Ø 4.8/6.4

MANUAL TOOL FOR BLIND RIVETS - Riveteuse manuelle - Manueller Blindnietgerät

061323



Made in Taiwan

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 3.2/4.0/4.8/6./6.4
Alu	Ø 3.2/4.0/4.8/6./6.4

HR20 BATTERY RIVETER
- Riveteuse sur batterie HR 20
- Akku-Blindnietgerät

TWO ER20

max 20 000 N
2.0 kg
085084

NEW



110-240 V / 50-60 Hz

×2

18V/2Ah Li-ion battery

BRUSHLESS motor

For BLIND rivets - Pour rivets POP - Für Blindniet Ø 1.0/2.4/3.2/4.0/4.8/6.4

CORDLESS RIVETER
- Riveteuse sur batterie
- Akku-Blindnietgerät

TWO ER20

max 20 000 N (6 bar)
10-20 V universal fast charger (30 min)
2.0 kg
064461



×2

20V/2Ah Li-ion battery

BRUSHLESS motor



For BLIND rivets - Pour rivets POP - Für Blindniet Ø 4.0/4.8/5.0/6.0/6.4

HYDROPNEUMATIC TOOL FOR RIVET NUTS - Sertisseuse hydro-pneumatique riv 998 - Hydro-pneum. Blindnietmutterngerät

RIV 998

max 19 000 N (6 bar)
included accessories for sealing nuts:
- livré avec accessoires pour écrous à sertir :

✓ M3 ✓ M4 ✓ M5 ✓ M6 ✓ M8 ✓ M10 ✓ M12

055414



MADE IN ITALY

Sealing nuts - Ecrous à sertir - Blindnietmuttern M3 → M12

Blind rivet bolts - Goujons à sertir - Blindnietbolzen M3 → M12

MIG-MAG
GMAW-FCAW


TRADITIONAL


GYS AUTO / CARMIG-E AUTO 87

INVERTER

E GYS AUTO 88
P GYS AUTO 90
AUTOPULSE 93

ACCESSORIES & CONSUMABLES 94





INVEST IN THE FUTURE

GYS AUTO

TRADITIONAL SYNERGIC

ACCESSORIES BOX



M1 GYS AUTO

15 ◢ 160 A | Capacitor | 6 m

230 V • 1 ~


032903


with accessories



Capacitor

> PERFECT WELD





Option Spool Gun Torch
041486



Ø 100
Ideal for
· Steel / Acier / Stahl
· Stainless steel / Inox
· Alu



CARMIG E AUTO

INVERTER



CARMIG-E AUTO

20 ◢ 200 A | 230 V 1~ | 2 m

with accessories :



3 m, 25 mm²

Steel
150 A, 3 m, air
Ø 0.6
063754

087675



4 m³ (20L)

063754

OPTIONS

Alu TORCH

250 A
3 m
air
063761

TRADITIONAL / INVERTER GMAW FCAW

MADE IN GYS CHINA	CE NORM. 60974/1	50/60 Hz	A	min→max A	Reg	100 (spoolgun)	Ø mm 200	300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (12 max)	Ø mm Steel	Alu	Original equipement Equipement d'origine Originalausstattung Equipamento de fabrica		LxWxH cm / kg	Protected & compatible power generator (+/-15%)
▪	**M1 GYS AUTO**	230 V 1~	16	15→160	6	option	▪	▪		90	140A@15%	0.6→1	—	0.6/0.8	0.8	78 x 38 x 67 / 56	4,5 kVA
▪	**CARMIG-E AUTO**	230 V 1~	16	20→200	6	▪	▪	▪		120	200A@15%	0.6→1	0.8→1.2	0.6/0.8	0.8	NC	4,5 kVA

INVERTER SYNERGIC

17 languages


Français	Čeština
English	Svenska
Deutsch	Suomi
Español	Magyar
Русский	Türkçe
Nederlands	中文
Italiano	日本語
Português	Tiếng Việt
Polski	

Lastest generation colour screen 3.5"

EASY



EXPERT
Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES

- **MANUAL**
- **SYNERGIC** EASY / EXPERT
- **2T**
- **4T**
- **SPOT**
- **DELAY**

FONCTIONS

- **TRACEABILITY**
- **PORTABILITY**
- **+500 JOBS can be saved**

SYNERGIES

- **STEEL**
- **AlSi**
- **AlMg**
- **Cu Si 3 / CuAl 8**
- **CrNi**

UPDATES

gys.fr

EASY USB UPDATE

USB key 16 Gb
062344

E1 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754

075122

E2 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 / Ø 1.2 072138

075139


E3 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 / Ø 1.2 072138

075160



	E1 GYS AUTO	E2 GYS AUTO	E3 GYS AUTO
1	Ø 200 / 300	Ø 200	Ø 200
2	–	Ø 200 / 300	Ø 200
3	–	–	Ø 200

10 → 200 A
Ideal 0.6 mm

µC ELECTRONIC

PFC POWER FACTOR CORRECTION

195 V — 265 V
110 V 230 V
45 m

OPTION

Protection cover for 2-torch & 3-torch generator
052260







E1 GYS AUTO **200 A** • ×1 • **230 V 1~**

E2 GYS AUTO **200 A** • ×2 • **230 V 1~**

E3 GYS AUTO **200 A** • ×3 • **230 V 1~**

MADE IN FRANCE	CE NORM. 60974/1		50/60 Hz	AM A		min→max A	Ø mm 200	Ø mm 300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (12 max)	Ø mm	Original equipement / Equipement d'origine / Originalausstattung / Equipamiento de fabrica	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
▪	**E1 GYS AUTO**		230 V 1 ~	16	6 m	10→200	▪	▪		145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8	79 x 37 67 / 42.6	9KVA
▪	**E2 GYS AUTO**		230 V 1 ~	16	6 m	10→200	▪	▪		145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8 Alu Type B 0.8/1	72 x 37 x 105 / 59.5	9KVA
▪	**E3 GYS AUTO**		230 V 1 ~	16	6 m	10→200	▪			145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8 Acier Type B 0.8/1 Alu Type B 0.8/1	73 x 38 x 108 / 64	9KVA

PULSE SYNERGIC

Lastest generation colour screen 3.5"

19 languages

Français, English, Deutsch, Español, Русский, Nederlands, Italiano, Português, Polski, Čeština, Svenska, Suomi, Magyar, Türkçe, 中文, 日本語, Tiếng Việt, 繁體中文, 한국어

EASY



EXPERT
Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES

- **EASY**
  - SYNERGIC STANDARD
  - SYNERGIC PULSE
  - NEW PULSE IN PULSE
- **EXPERT**
  - MANUAL
  - SYNERGIC STANDARD
  - SYNERGIC PULSE
  - NEW PULSE IN PULSE

SYNERGIES

- **STEEL** - ACIER
- **ALU**
- **STAINLESS STEEL** - INOX
- **BRAZING** - BRASAGE
- +40 SYNERGIES

TORCH

- **2T**
- **4T**
- **SPOT**
- **SPOT DELAY**

FONCTIONS


- **TRACEABILITY**
- **PORTABILITY**
- +500 JOBS can be saved

UPDATES



EASY USB UPDATE
USB key 16 Gb
062344

10 → 220 A
Ideal 0.6 mm



P1 GYS AUTO

10 ◢ 220 A | 230 V 1~ | PFC

080584

P1 GYS AUTO 208-240V

10 ◢ 220 A | 208>240 V 1~ | PFC

080911

P1 GYS AUTO included accessories
3 m, 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 **072138**



P2 GYS AUTO

10 ◢ 220 A | 230 V 1~ | PFC

with accessories :
3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 **072138** + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 **063754**

083134

P2 GYS AUTO 208-240V


10 ◢ 220 A | 208>240 V 1~ | PFC

with accessories :
3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 **072138** + CuSi 150 A, 3 m, air Ø 1.0 **072121**

083189

OPTION
Protection cover for 2-torch & 3-torch generator
052260

Helmet not included



P3 GYS AUTO

10 ◢ 220 A | 230 V 1~ | PFC

080591

OPTION
Protection cover for 2-torch & 3-torch generator
052260

P3 GYS AUTO 208-240V

10 ◢ 220 A | 208>240 V 1~ | PFC

080928

Complete package **090774**
080928 + CuSi3 200 mm Ø 0.8, 5 kg **086647** + AlMg2.7Mn (5554) 200 mm Ø 1.2, 2 kg **086517** + Steel SG2 200 mm Ø 0.8, 5 kg **086128**

NEW P3 GYS AUTO 270A / 208/240V

10 ◢ 270 A | 208>240 V 1~ | PFC

091443

P3 GYS AUTO included accessories
3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 **072138** + CuSi 150 A, 3 m, air Ø 1.0 **072121** + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 **063754**

NEW Complete package **092983**
091443 + CuSi3 200 mm Ø 0.8, 5 kg **086647** + AlMg2.7Mn (5554) 200 mm Ø 1.2, 2 kg **086517** + Steel SG2 200 mm Ø 0.8, 5 kg **086128**

NEW

Helmet not included



P1 GYS AUTO **220 A** • ×1 • **230 V 1~**

P2 GYS AUTO **220 A** • ×2 • **230 V 1~**

P3 GYS AUTO **220/270 A** • ×3 • **230 V 1~**

MADE IN FRANCE	60974/1		50/60 Hz	A		min→max A	Ø mm 200	Ø mm 300	Electronic Control	EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (I2 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica			LxWxH cm / kg	Protected & compatible power generator (+/-15%)
▪	P1 GYS AUTO		230 V 1 ~	16	6 m	10→220	▪	▪	1 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2			78 x 45 x 80 / 45	9KVA
▪	P1 GYS AUTO 208-240V		208› 240 V 1 ~	16						150	220 A @ 20 %					78 x 45 x 80 / –	9KVA
▪	P2 GYS AUTO		230 V 1 ~	16	6 m	10→220	▪	▪	2 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2	Steel Type B 0.6/0.8		86 x 63 x 93 / 58	9KVA
▪	P2 GYS AUTO 208-240V		208› 240 V 1 ~	16						150	220 A @ 20 %			Steel Type B 0.8/1.0		86 x 63 x 93 / –	9KVA
▪	P3 GYS AUTO		230 V 1 ~	16	6 m	10→220	▪	—	3 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0	Steel Type B 0.6/0.8	86 x 63 x 93 / 62	9KVA
▪	P3 GYS AUTO 208-240V		208› 240 V 1 ~	16						150	220 A @ 20 %					080928 - 86 x 63 x 93 / 62 090774 - 73 x 38.5 x 115 / 85	9KVA
▪	P3 GYS AUTO 270A / 208-240V		208› 240 V 1 ~	16	6 m	10→270	▪	—	3 x	150	270 A @ 10 %	0.6→1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0	Steel Type B 0.6/0.8	86 x 63 x 93 / 62	16KVA

P GYS AUTO

PULSE SYNERGIC

P3-320T GYS AUTO

10◢ 320 A | 230V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138 +

090477



Screen protection - Protection d'écran - Bildschirmschutz
079885

P3-320T GYS AUTO **320 A** • ×3 • **400 V 3~**

AUTOPULSE

DOUBLE PULSE SYNERGIC

Youtube

ACCESSIBILITY

3 interface levels

- EASY
- EXPERT
- ADVANCED

17 languages

Français, English, Deutsch, Español, Русский, Nederlands, Italiano, Português, Polski, Čeština, Svenska, Suomi, Magyar, Türkçe, 中文, 日本語, Tiếng Việt

3 INTERFACE LEVELS

Latest generation colour screen 5"
800 x 480 (WVGA)



EASY



EXPERT
Pre-gas / Hot Start / Upslop / Downslope / Crater filler / Post-gas



ADVANCED
Arc length adjustments

PORTABILITY

Share configuration & jobs

TRACEABILITY



History data export

500+ JOBS

Quick save

MODES

- DYNAMIC STANDARD
- PULSE
- PULSE IN PULSE
- MANUAL
- COLD PULSE

FULLY DIGITAL

4 MICROPROCESSORS + DSP

UPDATES




EASY USB UPDATE

USB key 16 Gb
062344

65+ SYNERGIES

- STEEL
- Cu Si 3 / Cu Al 8
- ALU

Find all the synergies:
Retrouvez toutes les synergies :
Finde alle Synergien :



AUTOPULSE 220-M3

1	Ø 200		PP
2	Ø 200		–
3	Ø 200		–

AUTOPULSE 320-T3


1	Ø 200		PP
2	Ø 200		
3	Ø 200		–

µC → ELECTRONIC

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8/1

OPTION

for AUTOPULSE 320-T3 (400 V) only
SPOOLGUN TORCH Ideal Alu
Ø 0,8
4 m
041486



OPTIONS

PUSH PULL TORCH 24 V
MB 25
4 m
046283





MB 15 / MB 25 (250 A)
077089

x5 (M6-Ø 0.6)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)



x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (Alu - M6-Ø 1.0)
x5 (Alu - M6-Ø 1.2)

Torch gas flow-meter
- Débimètre de bout de torche
053939



Protection cover
- Housse de protection
- Schutzhaube
052260





220 A • ×3 • 230 V 1~

AUTOPULSE 220-M3

10◢ 220 A | 230V 1~ | PFC | TESLA APPROVED

036703

320 A • ×3 • 400 V 3~

AUTOPULSE 320-T3

15◢ 320 A | 400V 3~

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138 +

067615

MADE IN FRANCE / CE NORM. EN60974-1	50 / 60 Hz		A	Ø mm	A	SPOOLGUN	PUSHPULL	Ø mm 200	Ø mm 300	Cooling system	Equipement d'origine / Original equipement / Originalausstattung / Equipamiento de fabrica: ELECTRONIC CONTROL		EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (12 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
P3-320T GYS AUTO	400 V - 3 ~	6 m	16	0.6 → 1.2	10 → 320	–	–	■	–	Air		ACIER : Type B 0.8 / 1.0 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	260	320 A @ 35%	86 x 63 x 93 / 62	24 kVA
AUTOPULSE 220-M3	230 V - 1 ~	8 m	16	0.6 → 1.2	10 → 220	–	OPTION	■	–	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA
AUTOPULSE 220-M3 208-240V	208 > 240 V - 1 ~															
AUTOPULSE 320-T3	400 V - 3 ~	5 m	16	0.6 → 1.2	15 → 320	OPTION	OPTION	■	■	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	75 x 40 x 94 / 82	16 kVA

MANUAL TORCHES - Torches manuelles - Brenner - Antorcha - Lastoort - Tocha

CLASSIC



GRIP



FUME EXTRACTION

Fume Extraction Torches - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos



PUSH PULL

for AUTOPULSE — MADE IN FRANCE



Rollers - Galets - Drahtführungsrollen - Rollen - Rodillos - Wielen - Roletes


0.6/0.8/1.0 **046290**
0.8/1.0/1.2 **038752**

Connector Push Pull 10 pts **064393**

SPOOL GUN

Special CAR BODY REPAIR MACHINES

Ø 100
Ideal for
- Steel / Acier / Stahl
- Stainless steel / Inox
- Alu



COMPLETE TORCHES



	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl						ALU - Aluminium - Aluminio					PUSH PULL	SPOOL GUN
	AIR					LIQUID	AIR				LIQUID	AIR	AIR
	150 A	150 A	250 A	250 A	350 A	300 A	150 A	250 A	250 A	350 A	300 A	220 A	150 A
X % 40°C, $ArCo_2$	150 A 60 %	150 A 60 %	150 A 60 %	200 A 60 %	290 A 60 %	270 A 100 %	150 A 60 %	200 A 60 %	230 A 60 %	290 A 60 %	270 A 100 %	220 A 20 %	150 A 60 %
	A1 + A2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	B1 + B2	A1 + A2
	M6 Ø0.8	M6 Ø1.0	M6 Ø0.8	M6 Ø1.0	M8 Ø1.2	M6 Ø1.2	M6 Ø0.8	M6 Ø1.0	M6 Ø1.2	M8 Ø1.2	M6 Ø1.2	M6 Ø 1.2	M6 Ø0,8
	3 m	3 m	3 m	3 m	4 m	3 m	3 m	3 m	3 m	3 m	4 m	4 m	4 m
	063754	072121	072145	072152	063792	040694	063761	063785	072138	063808	043282	046283	041486




3 m Flexible	4 m	3 m
082151	063778	040540

Special MIG/MAG plier

- Pince spéciale MIG/MAG
- Spezial MIG/MAG Zange

041332





Anti-spatter spray (without silicone)

- Spray protecteur sans silicone
- Antihaftspray (Ohne Silicon)

400 ml
041806



MIG torch stand with magnetic base

- Support torche magnétique

041653




CONSUMABLES - Consommables




Torch liners - Gaines - Mantel - Funda - Drahtseelen - Folha (p. 96)

Tip adaptors & diffusers - Supports tube contact & diffuseurs



Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto



Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos



Tip adaptors & diffusers - Supports tube contact & diffuseurs



	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl				ALU - Aluminium - Aluminio				PUSH PULL		SPOOL GUN
	AIR			LIQUID	AIR			LIQUID	AIR		AIR
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	A1 (x5)
	042902	042995	043008	043589	042902	042995	043008	043589	042902	042995	042902
+	+	+	+	+	+	+	+	+	+	+	+
	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	A2 (x10)
	042988	042919	042926	043541	042988	042919	042926	043541	042988	042919	042988

Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto

	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
Ø 0.6	A (x10) 041905	A (x10) 041905	—	A (x10) 041905	—	—	—	—	—	—	—
Ø 0.8	A (x10) 041912	B (x10) 041950	C (x10) 041790	B (x10) 041950	B (x10) 041059	A (x10) 041059	—	B (x10) 041059	B (x10) 041059	B (x10) 041059	B (x10) 041059
Ø 1.0	A (x10) 041929	B (x10) 041967	C (x10) 419803	B (x10) 041967	B (x10) 041066	B (x10) 041066	C (x10) 419766	B (x10) 041066	B (x10) 041066	B (x10) 041066	B (x10) 041066
Ø 1.2	A (x10) 040144	B (x10) 041974	C (x10) 419810	B (x10) 041974	B (x10) 041073	B (x10) 041073	C (x10) 419773	B (x10) 041073	B (x10) 041073	B (x10) 041073	B (x10) 041073
Ø 1.4	—	—	C (x10) 419827	—	—	—	—	—	—	—	—
Ø 1.6	—	—	C (x10) 419834	—	—	—	C (x10) 041080	—	—	—	—
Ø 2.4	—	—	C (x10) 040533	—	—	—	—	—	—	—	—

Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos

	150 A	250 A	350 A	300 A	150 A		250 A	350 A	300 A		150 A	250 A	150 A
A	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	53 mm Ø12 (x3) 041875	53 mm Ø16 (x3) 046214	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	63.5 mm Ø17 (x3) 046221	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	53 mm Ø12 (x3) 041875
B	53 mm (x1) 041851	—	—										
D	(x1) 041868	—	—										
E	(x1) 043084	(x1) 040571	(x1) 040588										


Boxes

- Coffrets - Verschleißteilebox
- Cajas - Kistjes - Estojos



x 3	x 5	M6 - Ø 0.6 x 5 M6 - Ø 0.8 x 5 **Alu** - M6 - Ø 0.8 x 5	x 3	=	**MB 15 (150 A)** 041226
M6 - Ø 0.6 x 5 M6 - Ø 0.8 x 5 **Alu** - M6 - Ø 1.0 x 5	M6 - Ø 0.8 x 5 M6 - Ø 1.0 x 5 **Alu** - M6 - Ø 1.0 x 5 **Alu** - M6 - Ø 1.2 x 5	—	—	=	**MB 15 / MB 25** 077089
x 5	x 3	M6 - Ø 0.8 x 5 M6 - Ø 1.0 x 5 **Alu** - M6 - Ø 1.0 x 5	x 3	=	**MB 25 (250 A)** 041233
x 2	x 3	M6 - Ø 1.0 x 5 M6 - Ø 1.2 x 5 **Alu** - M6 - Ø 1.0 x 5 **Alu** - M6 - Ø 1.2 x 5	x 2	=	**MB 36 (350 A)** 041417

CONSUMABLES - Consommables



TORCH LINERS - Gaines - Mantel - Funda - Drahtseelen - Folha

STEEL - Acier - Stahl - Acero - Staal - Aço

Ø 0.6 / 0.8	3 m	041592
	4 m	041837
Ø 1.0 / 1.2	3 m	041608
	4 m	041844
	5 m	062276
Ø 1.2 / 1.6	3 m	418417
	4 m	418424
Ø 1.6 / 2.4	4 m	040526
	5 m	062290

TEFLON

Ø 0.6 / 0.8	3 m	041578
	4 m	044050
Ø 1.0 / 1.2	3 m	041585
	4 m	044067
	8 m	038677
Ø 1.2 / 1.6	4 m	044074



Guide gaine téflon pour motodévidoir
079601

CARBON

Ø 0.6 / 0.8	4 m	039834
	5 m	062306
Ø 1.0 / 1.2	4 m	039827
	5 m	062313
Ø 1.2 / 1.6	4 m	039810

PUSH PULL TORCH

Ø 1.0 / 1.2	8 m	038172

ROLLERS - Galets - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A

For : Carmig



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042339
	Ø 0.8 / 1.0	x 1	041189
Alu	Ø 0.8 / 1.0	x 1	041196
Cored wire - Fil fourré	Ø 0.8 / 0.9	x 1	046856
	Ø 0.9 / 1.2	x 1	042346



TYPE B


For : Carmig E, Autopulse 220, M1 GYS Auto, M3 GYS auto, T1 GYS Auto, T3 GYS Auto, E1/E2/E3 GYS Auto, P1/P2/P3 GYS Auto



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042087
		x 2	042353
	Ø 0.8 / 1.0	x 1	042100
		x 2	042360
	Ø 1.0 / 1.2	x 1	042179
		x 2	046849
	Ø 1.2 / 1.6	x 2	042384
Alu	Ø 0.8 / 1.0	x 1	042155
		x 2	042377
	Ø 1.0 / 1.2	x 1	042186
		x 2	040915
	Ø 1.2 / 1.6	x 2	042391
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 1	042131
		x 2	042407

TYPE C

For : Neopulse - Autopulse 320-T3



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 2	041738
	Ø 0.8 / 1.0	x 2	042094
	Ø 1.0 / 1.2	x 2	042117
	Ø 1.2 / 1.4	x 2	039780
	Ø 1.2 / 1.6	x 2	041752
	Ø 0.8 / 1.0	x 2	042148
Alu	Ø 1.0 / 1.2	x 2	042162
	Ø 1.2 / 1.6	x 2	041776
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 2	042124

NO GAS WELDING KIT Ø 0.9 - Kit soudage sans gaz Ø 0.9

041240



For : Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multipearl 200-2

=  Ø 0.9 1.0 / 1.2 (x1) Type A

\+  M6-Ø0.9 (x3)

\+  Isolated Nozzle No Gas - 150 A (x1)

GAS CONNECTORS - Raccords gaz - Gasanschlüsse



x2
045712



x1
046245



x1
067936



Tuyau caoutchouc- Rubber hose
Ø 6.3 X 13 (EN ISO 3821)

1.5 m	066670
4 m	046269
✂ x m	046276

PRESSUR-REGULATORS - Manomètres-débimètres - Druckminderer



15 l/min

(FR)	041998
(UK)	040274
(NL)	040267
(IT)	038691



30 l/min

(FR)	041622
(UK)	041646
(DE)	041219
(NL)	041615
(IT)	038707



Optima Pro
30 l/min

(FR)	043619
(UK)	043626
(DE)	043633
(NL)	043640




Torch gas flow-meter
- Débimètre de bout de torche
053939

WELDING WIRE REELS - Bobines de fil - Drahtrollen - Rollos de hilo- Draadbobijn - Bobines de fio

100 mm





ECO
Ecological wire reel - Bobine écologique



STEEL - Acier - Stahl - Acero - Staal - Aço

SG2

Norms : **AWS** 5.18 : ER 70S-6 ; **EN** ISO 14341-A : G46 4MG3Si1 ; **DIN** 8559 : SG2

100 mm 0.9 kg	Ø 0.6	086593
	Ø 0.8	086609
200 mm 5 kg	Ø 0.6	086111
	Ø 0.8	086128
	Ø 1.0	086135
300 mm 15 kg 18 kg ECO	Ø 0.6	086166
	Ø 0.8	086227
	Ø 0.8 ECO	086272
	Ø 1.0	086234
	Ø 1.0 ECO	086289
	Ø 1.2	086241
	Ø 1.2 ECO	086296
300 mm EXCELLIUM 15 kg	Ø 1.2 ECO	086319

SG1

Norms : **AWS** 5.18 : ER 70S-3 ; **EN** ISO 14341-A : G42 2MG2Si1 ; **DIN** 8559 : SG1

200 mm 5 kg	Ø 0.6	086418
	Ø 0.8	086401

CrMO2Si

Norms : **AWS** 5.28 : ER 90S-B3 ; **EN** ISO 21955-A : Cr CrMo25i

300 mm 15 kg	Ø 0.8	086258

UHSS

Norms : **AWS** ASME SFA-5.28 : ER 120 S-G ; **EN** ISO 12534 : G Mn4Ni2, 5CrMo

200 mm 5 kg	Ø 0.8	086203

Hardfacing - Rechargement Acier 60 HRC

Norms : **EN** 14700 : TZ Fe 2 ; **DIN** 8555 : MSG 6-CF-60

300 mm 15 kg	Ø 1.2 ECO	088481

Cored wire - Fil fourré - Fülldraht - Hilo tubular

Norms : **AWS** 5.20 : E71T-GS ; **EN** ISO 17632-A T42 Z W N 1 H15

100 mm 0.9 kg	Ø 0.6	086425
	Ø 0.9	086104
200 mm 4.5 kg	Ø 0.9	086265
	Ø 1.0	086623
	Ø 1.2	086630
300 mm 15 kg	Ø 1.0	086388
	Ø 1.2	086395

Galva (G2Ti)

Norms : **AWS** 5.18 : ER 70S-2 ; **EN** ISO 14341-A : G42 2 M G2Ti ; **DIN** 8559 : SG2

200 mm 5 kg	Ø 0.6	086760
	Ø 0.8	086777

BRAZING - Brasage

CuAl8 HLE - UHTS (Boron Steel)

Norms : **AWS** 5.7 : ER CuSi-A1 ; **EN** ISO 14640 : S Cu 6100 ; **DIN** 1733 : SG-CuAl8

200 mm 2 kg	Ø 0.8	077409
200 mm 5 kg	Ø 0.8	086661
	Ø 1.0	086197
300 mm 15 kg	Ø 1.0	086180

CuSi3 HLE - UHTS (Boron Steel)

Norms : **AWS** 5.7: ER CuSi-A ; **EN** ISO 14640 : S Cu 6560 ; **DIN** 1733 : SG-CuSi3

100 mm 1 kg	Ø 0.8	086692
200 mm 2 kg	Ø 0.8	077393
200 mm 5 kg	Ø 0.8	086647
	Ø 1.0	086654
200 mm EXCELLIUM 5 kg	Ø 0.8	086210

ADAPTORS FOR WIRE REELS - Adaptateurs bobines - Korbspulenadapter

ALIGNER 200
042889



STAINLESS STEEL - Inox - Edelstahl

CrNi (316LSi)

Norms : **AWS** 5.9 : ER 316L Si ; **EN** ISO 14343-A : G19 12 3 L Si ; **DIN** 8556 : SG X2 CrNiMo 19 12

200 mm 5 kg	Ø 0.8	086326
	Ø 1.0	086364
300 mm 15 kg	Ø 1.0	086371

CrNi (308LSi)

AWS 5.9 : ER 308L Si ; **EN** ISO 14343-A : G19 9 L Si ; **DIN** 8556 : SG X2CrNi 19 9

100 mm 1 kg	Ø 0.8	086616
200 mm 5 kg	Ø 0.8	086579
	Ø 1.0	086340
300 mm 15 kg	Ø 1.0	086357

After sales

Ø 200 & 300



Professional 71608

Ø 200 & 300 Press & Lock



Industrial 71613

ALUMINIUM

AlSi5

Norms : **AWS** 5.10 :ER 4043 ; **EN** ISO 18273 : S Al 4043-A ; **DIN** 1732 : SG-AlSi5

100 mm 0.5 kg	Ø 0.8	086685
200 mm 2 kg	Ø 0.8	077133
	Ø 1.0	086142
	Ø 1.2	086159

AlSi12

Norms : **AWS** 5.10 : ER 4047 ; **EN** ISO 18273 : S Al 4047 ; **DIN** 1732: SG-AlSi12

100 mm 0.5 kg	Ø 0.8	086678
200 mm 2 kg	Ø 0.8	077140
	Ø 1.0	086067
	Ø 1.2	086074
300 mm 7 kg	Ø 1.2	086043

AlSi10Cu4

Norms : **AWS** 5.10 : ER 4145 ; **EN** ISO 18273 : S Al 41

200 mm 2 kg	Ø 1.2	073432

AlMg5

Norms : **AWS** 5.10 : ER 5356 ; **EN** ISO 18273 : S Al 5356 ; **DIN** 1732 : SG-AlMg5

100 mm 0.5 kg	Ø 0.8	086548
200 mm 2 kg	Ø 0.8	086555
	Ø 1.0	086562
300 mm 7 kg	Ø 1.0	086524
	Ø 1.2	086531
300 mm EXCELLIUM 7 kg	Ø 1.0 ECO	086487
	Ø 1.2 ECO	086494


AlMg2.7Mn

Norms : **AWS** 5.10 : ER 5554 ; **EN** ISO 18273 : S Al 5554 ; **DIN** 1732 : SG-AlMg

200 mm 2 kg	Ø 1.2	086517
300 mm 7 kg	Ø 1.2	086500

Thickness measurement tools (x3)
- Jauges d'épaisseur (x3)
- Dickenessgeräte (x3)
071414

0.6 › 8 mm



PLASMA CUTTING


EASYCUT K	99
EASYCUT	100



PLASMA

COMPRESSOR INSIDE • 1~

COMPRESSOR COMPRESSOR INSIDE



Plasma torch
TPT 25, 4m
068087

Plasma torch
TPT 35, 4m
080775



Youtube

ULTRA LIGHT & COMPACT

INTEGRATED AIR FILTER + AUTOMATIC DRAIN

PFC EN 61000-3-12 POWER FACTOR CORRECTION





EASYCUT K25

230 V • 1 ~	25 A	Fe 8 mm Al/CrNi 6 mm

P400 COMPRESSOR

TPT 25, 4 m 068087 — 2 m, 10 mm²

068063

Youtube

EASYCUT K35 PFC

230 V • 1 ~	35 A	Fe 15 mm Al/CrNi 10 mm

P400 PFC AD COMPRESSOR

TPT35, 4 m 080775 — 2 m, 10 mm²

080768

TPT35, 4 m — 2 m, 10 mm² — Box TPT35 080782 — UNIVERSAL 800 051331

080805

OPTIONS

Consummables

	Boxes - Coffrets
for TPT25	x 4 040236 — x 10 040212 — x 2 040175 — x 10 040168 — 039971
	x1 — x1 — x1 — x1
for TPT35	x 4 040182 — x 10 080799 — x 2 040175 — x 10 040168 — 080782
	x1 — x1 — x1 — x1

Compas 040205

x1 040199

R max = 670 mm

PLASMA 600 040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg

Universal 800 051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg

MADE IN FRANCE / CE NORM. EN60974-1		AM	I_2	mm						INTEGRATED TECHNOLOGY					AIR SYSTEM			EN 60974-1 (40°C)				Protected & compatible power generator (+/-15%)	
				Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing															
	50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	AD	IP23	COMPRESSOR	min	ideal	max	I 60%	X% 12 mn	100%	LxWxH cm / kg		
EASYCUT K25	230V 1~	16	10 → 25	8	6	6	4	4	2	■	—	—	—	■		included		15 A	35%	—	53 x 31 x 48 / 19	6.5 kW	7.5 kVA
EASYCUT K35 PFC	230V 1~	16	10 → 35	15	10	10	8	6	5	■	■	■	■	■		included		26 A	30%	—	45 x 26 x 36 / 27	8 kW	10 kVA

PLASMA

1~

Youtube



Plasma torch
TPT 25, 4m
068087

Plasma torch
TPT 35, 4m
080775

Plasma torch
TPT 40, 4m
060753



INCLUDED : 8 mm

DIGITAL PRESSURE SENSOR



EASYCUT 25

230 V • 1 ~ | 25 A | Fe 8 mm Al/CrNi 6 mm

TPT 25, 4 m 068087 + 2 m, 10 mm²

065543

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE

IDEAL CARBODY REPAIR



EASYCUT 30 FV

110 → 230 V • 1 ~ | 30 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC FV

TPT 40, 4 m 060753 + 2 m, 10 mm²

013858

ULTRA LIGHT & COMPACT

8.3 KG

INCLUDED : 8 mm

DIGITAL PRESSURE SENSOR



EASYCUT 40

230 V • 1 ~ | 40 A | Fe 20 mm Al/CrNi 15 mm

TPT 40, 4 m 060753 + 2 m, 10 mm²

029743

ULTRA LIGHT & COMPACT

9.2 KG

INCLUDED : 8 mm

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE

DIGITAL PRESSURE SENSOR



NEW 08/2026

EASYCUT 40 FV

110 → 230 V • 1 ~ | 40 A | Fe 20 mm Al/CrNi 15 mm

P400 PFC FV

TPT 40, 4 m 060753 + 2 m, 10 mm²

092129

OPTIONS

COMPAS
for TPT 40, TPT 25, TPT 35, MT 25K / MT 35K
x1
040199



040205

R max = 670 mm

Consumables

	MT25K		TPT25		MT35K		TPT35		TPT40	
	x 4 040182	x1	x 4 040182	x1	x 4 040229	x1	x 4 040182	x1	x 4 040236	x1
	x 10 040151	x3	x 10 040212	x3	x 10 040212	x3	x 10 080799	x3	x 10 040212	x3
	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1
	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3
Boxes - Coffrets	039971		070721		039964		080782		039957	

Trolley - Chariot



PLASMA 600
040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg



Universal 800
051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg



Jobsite XL
039568
60 x 59 x 115 cm / 18.4 kg
66 x 47 x 20 cm / 19.6 kg

Compressed air cleaning filter for Plasma Cutter 40 - Filtre déshumificateur spécial Plasma
039728



Filter cartridge - Cartouche pour filtre
039735

		CE NORM. EN60974-1		AM	I_2	mm Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing		INTEGRATED TECHNOLOGY			AIR SYSTEM			EN 60974-1 (40°C)				Protected & compatible power generator (+/-15%)	
		50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	FV	min	ideal	max	I 60%	X% I2 max	100%	LxWxH cm / kg		
MADE IN GYS CHINA	EASYCUT 25	230V 1~	16	10 → 25	8	6	6	4	4	3	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	15 A	30%	10A	45 x 25 x 35 / 9.7	—	—
MADE IN FRANCE	EASYCUT 30FV	230V 1~	16	10 → 30	15	10	10	8	6	5	▪	▪	▪	2.5 bar	5 bar 115 L/min	9 bar	23 A	30%	20 A	51 x 29 x 37 / 14.3	6.5 kW	6 kVA
		110V 1~	32	10 → 30													19 A	25%	15 A			
MADE IN GYS CHINA	EASYCUT 40	230V 1~	16	10 → 40	20	15	15	10	8	6	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	10 A	20%	—	45 x 25 x 35 / 11.5	—	—
MADE IN GYS CHINA	EASYCUT 40FV	230V 1~	16	10 → 40	20	15	15	10	8	6	▪	▪	▪	2.5 bar	4.5 bar 115 L/min	6.5 bar	20 A	30%	15 A	45 x 25 x 35 / 12.5	7 kW	10 kVA
		110V 1~	32	10 → 30	15	10	10	8	6	5							15 A	20%	10 A			




HANDUCTOR
1.1 kW



NEW

LED lamp





8 inductors

Ø25/30/45 - side



Flexible





1 100 W

HANDUCTOR

AIR 230 V


090484



Hanductor	10R / 18R
38 cm 25 cm 1.2 kg Ø2 mm	24 cm 19 cm 1.3 kg Ø3 mm
1.95 m	2 m 1.5 m

POWERDUCTION
1.2/1.75 kW



POWERDUCTION 10R/18R **ONE**	POWERDUCTION 10R/18R **PLUS**	POWERDUCTION 10R/18R **PRO**
		
1 inductor Ø18 - side	5 inductors Ø18/24/30 - side	12 inductors Ø18/21/24/27/30 - side + front
		
	flexible straight	flexible straight

NEW



1 200 W

POWERDUCTION 10R

AIR 230 V • 1 ~

POWERDUCTION 10R **ONE** (1 inductor)
089617
GB: 089624

POWERDUCTION 10R **PLUS** (5 inductors)
062504
GB: 068643

POWERDUCTION 10R **PRO** (12 inductors)
080195
GB: 080300

1 750 W

POWERDUCTION 18R

AIR 230 V • 1 ~

POWERDUCTION 18R **ONE** (1 inductor)
091047
GB: 091054

NEW

POWERDUCTION 18R **PLUS** (5 inductors)
091061
GB: 091078

NEW

POWERDUCTION 18R **PRO** (12 inductors)
091085
GB: 091092

NEW

			AM		Freq.		Cable L (m)		Heating					Protected & compatible power generator (+/-15%)
			A	W	kHz	Liquid Cooling		Inductor				L × W × H cm / kg	L × W × H cm / kg	
MADE IN CHINA	**HANDUCTOR**	230 V 50/60 Hz	5 A	1 100	55	—	1.95	—	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	38 x 7 x 10.5 / 1.2	43 x 10 x 23 / 3.3	1.5 kW
MADE IN FRANCE	**POWERDUCTION 10R ONE / 10R PLUS / 10R PRO**	230 V, 1~ 50/60 Hz	10 mini	1 200	45 → 80	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	089617 - 21 x 10 x 15 / 3.5 062504 - 21 x 10 x 15 / 3.3 080195 - 20 x 17 x 15 / 3.5	089617 - 38 x 13 x 24 / 4 062504 - 42 x 17 x 37 / 5.6 080195 - 46 x 21 x 38 / 6.6	1.5 kW
MADE IN FRANCE	**POWERDUCTION 18R ONE / 18R PLUS / 18R PRO**	230 V, 1~ 50/60 Hz	10 mini	1 750	45 → 80	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	091047 - 21 x 10 x 15 / 3.5 091061 - 21 x 10 x 15 / 3.5 091085 - 20 x 17 x 15 / 3.5	091047 - 38 x 13 x 24 / 4 091061 - 42 x 17 x 37 / 5.6 091085 - 46 x 21 x 38 / 6.6	2 kW

INDUCTION HEATING

1 200 › 5 200 kW

HANDUCTOR	102
POWERDUCTION 10R/18R	103
GYSDUCTION AUTO	104
COMBIDUCTION AUTO 50LG	105
POWERDUCTION	106
INDUCTOR PROGRAM	109

INDUCTION HEATING
2.4 kW





PFC **POWER FACTOR CORRECTION**

185 V — 265 V

110 V — 230 V

45 m

CONSUMABLES

for





Protection (x5)
+ Colle - Stick
053854

for





Protection (x1)
+ Colle - Stick
059108

for





Protection (x10)
+ Colle - Stick
053847

2 400 W



Packs with generator GYSDUCTION AUTO

	Bolt Inductor 053366	Remote control 055490	Car body Inductor 053359	Glass inductor 053373	Plastic wedges 051294	Dent pulling Inductor 054776	Spiral inductor 054783	Universal 800 051331	Cable support 052284	
PROLINER AUTO 048775		✓						✓		3 boxes
COMPLETE AUTO 053380		✓								1 box
COMPLETE AUTO 120V 084889		✓								1 box
COMPLETE AUTO + 056978			✓				✓			1 box
MECA AUTO 048812	✓									1 box
MECA AUTO + 056961	✓						✓			1 box
BODY SHOP AUTO 048799			✓							1 box
GLASS AUTO 048805				✓						1 box
DENT REPAIR AUTO 054981						✓				1 box

MADE IN FRANCE		A	W	kHz	PFC	Tech.	Liquid Cooling: Tank capacity	Liquid Cooling: Liquid Cooling	Cable L (m)	Inductor	Heating			Protected & compatible power generator (+/-15 %)	L×W×H cm / kg	L×W×H cm / kg
GYSDUCTION AUTO	230 V, 1~, 50/60 Hz	16 mini	2400	35→100	■	—	—	2	2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	3 kW	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9
GYSDUCTION AUTO 120V	120-240 V, 1~, 50/60 Hz	20 mini	2400	35→100	■	—	—	2	2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	3 kW	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9

INDUCTION HEATING
5.2 kW



6 m

included

For use < 3600W

READY TO USE
Liquid included

OPTIONS

Spiral inductor
- Inducteur spirale
- Spiralinduktor


5 inductors 054783







800 mm
054813



800 mm
054868

SIDE		
Ø 18 mm	⬡ ≤ M8	054806
Ø 24 mm	⬡ ≤ M12	054790
Ø 30 mm	⬡ ≤ M16	055469

PDR : Paintless Dent Repair - Débosselage sans peinture - Lackschadenfreies Ausbeulen

054776



3 m

2 in 1

50LG



AUTO



included
Glass - Décapage - Entfernen
053373



included
Decal - Décollage - Entkleben
053359

5 200 W

COMBIDUCTION AUTO 50LG

PFC 230 V • 1 ~



C20/B1 **056862**

053373

053359

065901

MADE IN FRANCE		A	W	kHz	PFC	Tech.	Liquid Cooling: Tank capacity	Liquid Cooling: Liquid included	Cable L (m)	Inductor	Heating			L×W×H cm / kg	L×W×H cm / kg	Protected & compatible power generator (+/-15 %)
COMBIDUCTION AUTO 50LG	230 V, 1~, 50/60 Hz	25 mini	5 200	20→80	■	■	7 l	5 l	6	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 x 43 x 75 / 60	79 x 58 x 60 / 72	6 kW
COMBIDUCTION AUTO 50LG 208-240 V	208-240 V, 1~, 50/60 Hz	25 mini	5 200	20→80	■	■	7 l	5 l	6	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 x 43 x 75 / 60	79 x 58 x 60 / 74	6 kW

INDUCTION HEATING
3.7 kW



READY TO USE
Liquid included

Pack 37 L 230 V	37 L + S90 091313	Cooling liquid 2 L 082212	S180/B3W 067899	S70/S90/S180 088290	Plastic Wedges (x3) 051294	Trolley UNIVERSAL 800 051331	Cable hanger 052284
MRA 1 089037	✓	✓	✓	✓	✓	—	—
MRA 2 089044	✓	✓	✓	✓	✓	✓	✓

NEW



NEW



3 700 W

POWERDUCTION 37L NEW

230 V • 1 ~



S90 058927
091313

UK: 091337
AU: 091351



S180/B3W 067899
091320

UK: 091344

POWERDUCTION 37L 208-240V NEW

208-240 V • 1



S90 058927
091368

POWERDUCTION 37L PRO NEW

230 V • 1 ~




S90 058927
088917
UK: 091214

MADE IN FRANCE		A	W	kHz	Liquid Cooling: Tank capacity	Liquid Cooling: Liquid included	Cable L (m):	Inductor	Heating			Protected & compatible power generator (+/-15 %)	L × W × H cm / kg	L × W × H cm / kg
POWERDUCTION 37L	230 V, 1~ 50/60 Hz	16 mini	3 700	15→30	▪ 1.5 l	—	4	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	56 × 26 × 29 / 13	60 × 34 × 33 / 14.5
	208-240 V, 1~, 50/60 Hz	20 mini												
POWERDUCTION 37L PRO	230 V, 1~, 50/60 Hz	16 mini	3 700	15→30	▪ 1.5 l	1 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	46 × 34 × 78 / 29	75 × 28.5 × 52 / 32

INDUCTION HEATING
3.7 kW

PFC POWER FACTOR CORRECTION



READY TO USE
Liquid included

3 m

NEW



3 m

3 700 W

POWERDUCTION 38LG NEW

230 V • 1 ~



S90 058927
088474
UK: 090743

POWERDUCTION 39LG

PFC 230 V • 1 ~



C20/B1 056862
058583




28S 064485 + S90 058927
080027

MADE IN FRANCE		A	W	kHz	Tech.	Liquid Cooling: Tank capacity	Liquid Cooling: Liquid included	Cable L (m):	Inductor	Heating			L × W × H cm / kg	L × W × H cm / kg	Protected & compatible power generator (+/-15 %)
POWERDUCTION 38LG	230 V, 1~ 50/60 Hz	16 mini	3 700	15→30	—	▪ 7 l	5 l	2	3	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	46 × 36 × 70 / ND	81 × 38 × 59 / ND	4 kW
POWERDUCTION 39LG	230 V, 1~ 50/60 Hz	16 mini	3 700	20→60	▪	▪ 7 l	5 l	6	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	46 × 36 × 70 / 46.5	81 × 38 × 59 / 52.5	4 kW

INDUCTION HEATING
5.2 kW

49LG:
Power adaptation for 16A socket
Adaptation de puissance pour prise 16A



Youtube

5 200 W

POWERDUCTION 49LG

PFC 230 V • 1 ~



C20/B1 056862
088498

POWERDUCTION 50LG

PFC 230 V • 1 ~




C20/B1 056862
055599


MADE IN FRANCE		A	W	kHz	PFC	Tank capacity	Liquid included	Cable L (m)	Inductor	Heating			L × W × H cm / kg	L × W × H cm / kg	Protected & compatible power generator (+/-15 %)
POWERDUCTION 49LG	230 V, 1~, 50/60 Hz	16 mini	5 200	20→60	■	■ 7 l	5 l	2	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 × 36 × 70 / 46.5	81 × 38 × 59 / 52.5	6 kW
POWERDUCTION 50LG	230 V, 1~, 50/60 Hz	25 mini	5 200	20→60	■	■ 7 l	5 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 × 43 × 75 / 58	80 × 60 × 60 / 71	6 kW

ADAPTERS / ADAPTATEURS

Powerduction **37, 37 PRO & 38LG**



Powerduction **39, 49, 50LG** & Combiduction **50LG**




STANDARD


Small inductors





33 × 20 mm			36 × 27 mm		31 × 22 mm	Ø 19 mm
S90 (90°) 058927	**S70** (70°) 061569	**S180** (180°) 059269	**S20/B1** (20°) 064874	**S180/B1** (180°) 064881	**S180/B3W** (180°) 067899	**S180/B6** (180°) 087002





Ø 20	**S20/D20**	078796	**S90/D20**	078871	**S180/D20**	069985
Ø 25	**S20/D25**	078802	**S90/D25**	078888	**S180/D25**	069992
Ø 30	**S20/D30**	078819	**S90/D30**	078895	**S180/D30**	070592
Ø 35	**S20/D35**	078826	**S90/D35**	078901	**S180/D35**	070608

Difficult Access Adapters 90°-S
082663



- ✓ S180/B1
- ✓ S180/B3W
- ✓ S180/B6

Protection kit for loop inductors
- Kit de protection pour inducteurs boucle
077386



CONSUMABLES

for





Protection (x5)
+ Colle - Stick
053854

for





Protection (x1)
+ Colle - Stick
059108

for





Protection (x10)
+ Colle - Stick
053847

OPTIONS

Freezer spray
- Spray refroidisseur

-50 °C
400 ml
(x 12)
048898



Adhesive for logo
(x10)
051492





WELDING HELMETS

AUTOMATIC HELMETS	110
VENTILATED HELMETS	110
FUME EXTRACTION	113

EN 175 - EN 379

AUTOMATIC HELMETS

Body repair recommanded

IDEAL



Multi Premium

GYSMATIC AUTO PRO
082809

100 × 93 mm | 0.08 ms

1/1/1/1 | ULTRA CLEAR 3 | ×4 | ☼ + 🔋 | O_2 GRIND | TRUECOLOR

NEW



Multi Premium




GYSMATIC 2.0 CL
083141

100 × 50 mm | 0.08 ms


PERFECT VISION 2 | ×4 | ☼ + 🔋 | O_2 GRIND | TRUECOLOR

HELMETS TECHNOLOGIES

Initial shade - Teinte initiale



Spectrum view - Spectre de couleur



Classification

EN379	NEW ISO 16321-2	Quality
1/1/1/1	V1	★★★★★
1/1/1/2	V2	★★★★
others	V3	★★★

PANORAMIC VIEW


Fixed SHADE 5 | SHADE 3-5 › 13 | Fixed SHADE 5



Multi Premium



APOLLO + 3/5-13 G
068681



100 × 67 mm | 0.08 ms

PANORAMIC | 1/1/1/1 | ULTRA CLEAR 3 | ×4 | ☼ + 🔋 | O_2 GRIND | TRUECOLOR

PANORAMIC VIEW

SHADE 3-10 | SHADE 3- 4 › 12 | SHADE 3-10



Multi Premium



PANORAMIC 3XL
037281



114 × 85 mm | 0.04 ms

PANORAMIC | 1/1/1/1 | ULTRA CLEAR 3 | ×4 | ☼ + 🔋 | O_2 GRIND | TRUECOLOR



PANORAMIC VIEW

Fixed SHADE 5 | SHADE 3 - 4 ›14 | Fixed SHADE 5

Multi Premium

HERMES 3/4-14 G
089686

116 × 81 mm | 0.04 ms

DIGITAL | class V1 | ULTRA CLEAR 3 | ×5 | ☼ + 🔋 | O_2 GRIND | TRUECOLOR





MEMORY & ELECTRONIC CONTROL
Automatic or manual settings

OPTIONS



Carry bag
for helmet welding
- Sac pour masque de soudage
043299



066656






Antiperspirant-headband
- Bandeau anti-transpiration
043466
for Multi Premium, Multi Premium Pro, Multi, Simple
062627
for Multi Pro
070844
for Gysmatic 9/13 Air, Gysmatic 5/13 Air XXL





Magnifying glass - Loupe
for Zeus, Ergotech & Alien True Color
x1
zoom x2
042780
zoom x3
064140

LENSES
- Verres
- Schutzgläser



114 x 133 (x10)	043893	104 x 96 (x5)	043596
226 x 106 (x5)	045781	103.5 x 54.5 (x5)	077621
114 x 133 (x10)	043893	103.7 x 69.5 (x5)	077102
390 x 150 (x3)	037311	special kit (x1)	037304
168 × 115 (x5)	089655	120.9 x 86.5 (x10)	089716
Grind protection 178 × 120 (x5)	089730	Side screen x3	089792

		TRUE COLOR		HF	DELAY							L × W × H cm / g	g
GYSMATIC AUTO PRO	3 - 5>9 / 9>13	■	0.08 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x93 mm	■	✓	☼ + 2 🔋 (CR 2032)	Multi Premium	24.5 × 26 × 27 / 1031	540
GYSMATIC 2.0 CL	2 - 5>9 / 9>12	■	0.08 ms	—	0.15 > 0.8 s	1/1/1/2	4 HIGH SENSITIVITY	100x50 mm	■	✓	☼ + 2 🔋 (CR 2032)	Multi Premium	26 × 24 × 27 / NC	540
APOLLO+ 3/5-13 G	3 - 5>9 / 9>13 + 2x : 5	■	0.08 ms	—	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XL : 100x67 + 2x87x102 mm	■	✓	☼ + 2 🔋 (CR 2032)	Multi Premium	26 × 24 × 27 / 1000	550
PANORAMIC 3XL	3 - 4>8 / 8>12 + 2x : 3>10	■	0.04 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	114x85 + 2x(68x80) mm	■	✓	☼ +2 🔋 (CR 2045)	Multi Premium	23.6 × 24.6 × 34.8 / 1140	610
HERMES 3/4-14 G	3 - 4>9 / 9>14 + 2x : 5	■	0.04 ms	✓	0.05 > 2.0 s	V1	5 HIGH SENSITIVITY	XXL : 116x81 mm	■	✓	☼ + 2 🔋 (CR 2450)	Multi Premium	26.5 × 23 × 26.6 / 1050	766

VENTILATED HELMETS





IDEAL



MEMORY & ELECTRONIC CONTROL







GYSMATIC 3/9-13 G AIR
065727

100 × 60 mm | 0.04 ms

ULTRA CLEAR 3 | ×4 | GRIND | TRUECOLOR

GYSMATIC 5-13 G AIR XXL
047846
: 028852

100 × 83 mm | 0.04 ms

DIGITAL | 1/1/1/1 | CLEAR 4 | ×4 | GRIND | TRUECOLOR

included with GYSMATIC 5/13 G AIR XXL

HERMES 3/4-14 G AIR
089693

PANORAMIC VIEW: Fixed SHADE 5 | SHADE 3 - 4›14 | Fixed SHADE 5

116 × 81 mm | 0.04 ms

DIGITAL | class V1 | ULTRA CLEAR 3 | ×5 | GRIND | TRUECOLOR

included with HERMES 3/4 G AI

Filtration class
EN 12941 : TH2 P R SL
Air 165 / 200
220 L/min

OPTION
Filter TH3
065734

KIT PAPR GYSMATIC (included)


Battery
037465


Battery charger
037472
: 028869


Filter x1


Pre-filters x5
038417

Filtration class
EN 12941:2008
A1: 2003 A2: 2008 TH3
Air flow > battery
170 l/min> 10 h
200 l/min> 8 h
230 l/min > 6 h

KIT PAPR (included)


Filter
089754


Air flow meter


Battery
089747


Panoramic view cache


Pre-filters (x5)
089761


Charging cable



Magnifying glass hook


Spark guards (x2)
089785


Adaptators


Lense

LENSES - Verres - Schutzgläser



114 x 133 (x10)	043893	G : 106 x 66 (x10)	043886	GYSMATIC 3/9-13 G AIR	3 - 9>13	■	0.04 ms	✓	0.10>0.90 s	1/1/1/2	4 HIGH SENSITIVITY		XL : 100x60 mm	■	✓	☼ + 2 (CR 2450)	Simple	59 × 35 × 29 / 1230	580
114 x 133 (x10)	043893	106 x 89,5 (x10)	046825	GYSMATIC 5-13 G AIR XXL	4 - 5>9 / 9>13	■	0.04ms	✓	0.1 > 0.9 s	1/1/1/1	4 HIGH SENSITIVITY		XXL : 100x83 mm	■	✓	☼ + 2 (CR 2450)	**Multi Pro**	59 × 35 × 29 / 5000	550
168 x 115 (x5)	089655	120.9 × 86.5 (x10)	089716	HERMES 3/4-14 G AIR	3 - 4>9 / 9>14 + 2x : 5	■	0.04 ms	✓	0.05-2.0 s	V1	5 HIGH SENSITIVITY		XXL : 116x81 mm	■	✓	☼ + 2 (CR 2450)	**Multi Premium**	39 × 28 × 25 / 2840	866
Grind protection 178 × 120 (x5)	089730	Side screen x3	089792																

FUME EXTRACTION SYSTEMS
- Aspirateurs de fumée - Rauchgasabsauggerät

UNI 2.1 RE

- 400 V 3 ~
- 50 Hz
- 1 100 W
- 1 500 m³/h max
- arm 3 m
- no plug
- 100 kg
- extraction 0.5 m/s

122 x 67 x 145 cm / 111.5 kg

061545



Included
Pré filtre, treillis Aluminium Class of filtration G3 EN 779
+ Filtre - Coal Filter EPA E12 EN 779, Filtration >99.5 %
046467

Options
Filtre à charbon actif - Coal filter
UNI 2.1 RE
064522

Extraction flexible
10 m, Ø 152 mm
UNI 2.1 RE
EVO 2.1 RE
062139

FUME EXTRACTION TORCHES - Torches aspirantes - Rauchgas - Absaugbrenner - Antorcha con aspiración de humos



BINZEL



	Steel/Stainless steel - Acier/Inox - Stahl/ Edelstahl
	AIR
	250 A
original equipment	M6
	Ø 1.0
X % 40°C - $ArCo_2$	200A - 60%
GRIP	GRIP
L	3 m
Ref.	040540





INVEST IN THE FUTURE

+

ACCESSORIES

WINDSCREEN REPAIR	114
BUMPER REPAIR	116
HAND TOOLS	118
PNEUMATIC TOOLS	122
WORKING LIGHTS	124
SANDING & DUST EXTRACTION	126
WORKING SUPPORTS	128
SAFETY PROTECTION	133
ELECTRIC VEHICLES	134

PROFESSIONAL BOX SET FOR WINDSCREEN REMOVAL - Coffret de découpe pare–brise - Frontscheiben-Trennsystem für Akkuschrauberbetrieb



057654

MADE IN HIGH QUALITY GERMANY

included
Axe enrouleur
068100




included
65 m
resistance 285 kg, Ø 1.18 mm
088986





OSCILLATING PNEUMATIC SAW FOR WINDSCREEN REMOVAL
Couteau pneumatique de découpe pare–brise - Druckluft-Trennmesser für Windschutzscheiben

057623



Included
57 mm
057845

90 mm
057852

8 mm
057876

35 mm
057838

U
36 mm
057869

WINDSHIELD CUTTING TOOL - Outil découpe pare–brise - Windschutzscheiben Demontage-Set

051935



WINDSCREEN JOINT–CUTTING KIT - Kit découpe joint de pare-brise - Scheibentrenn-Werkzeug-Set

051898





Corde à piano torsadé (22 m)
- Windscreen seal cutting wire (twisted)
- Piano-Schneiddraht, gedrillt, 22 m Rolle

051911




Corde à piano carré (50m)
- Windscreen seal cutting wire (square)
-Vierkant-Draht, 50 m Rolle

051881


DASHBOARD PROTECTOR - Protections tableau de bord - Armaturenbrett Schutz

053120



REMOVAL TOOL FOR WINDSCREEN WIPER ARMS - Extracteur d'essuie–glace - Wischerarm-Abzieher

UNIVERSEL
057630





EXPERT
Accès difficile - Difficult access
057647





WINDSHIELD CUTTING KIT
- Système de découpe pare–brise à cliquet
- Set zum Lösen von Windschutzscheiben

054738



SUCTION LIFTING PADS - Ventouses - Saugnapfwerkzeug für Spiegelgläser

056695






051966



x 6
057609





COMPRESSED AIR POLISHER - Renov'Polycarbonate - Druckluftpolierer

Complete pack

1 orbital sander
+ 1 polisher
- 1 ponceuse orbitale
+ 1 lustreuse

052086

2 SPEED



052055

052062

052079

Ø 76
P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)





P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048

HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare-chocs - Stoßstangen Reparatur Kit

052925



INCLUDED :

x20 x20 x20 x20 x20



MADE IN TAIWAN





PORTABLE: Battery operated

090569

Li-ion battery 3.65 V
Input: DC 5 V, 2 A
Output: 3.65 V, 8A MAX
Battery: 3.65 V, 4000 mAh
Capacity of 400 staples

5.9 x 3.6 x 25.5 cm / 275 g
included USB-A -/USB-C cable

Made in China





NEW

Adjustable

INCLUDED :

Ø 0.6, x50 Ø 0.8, x50

Ø 0.8, x50 Ø 0.8, x50

Staples - Agrafes



	V	U	N	W	M
	Inside corner - Angle interne étroit Ø 0.7 mm	Crack alignment - Alignement de fissure Ø 0.7 mm	Large crack - Fissure importante Ø 0.7 mm	Internal angle - Angle interne Ø 0.7 mm	External angle - Angle externe Ø 0.7 mm
	x 100	x 100	x 100	x 100	x 100
	047990	047983	047976	047969	047952

052413 = x 50 + x 50 + x 50 + x 50 + x 50

	V	U	N	E
	Inside corner - Angle interne Ø 0.8 mm	Crack alignment - Alignement de fissure Ø 0.8 mm	Large crack - Fissure importante Ø 0.8 mm	Outside corner - Angle externe Ø 0.6 mm
	x 50	x 50	x 50	x 50
	091658	091665	091672	091689

Option
15 W USB-C Charger
087101



PIERCING KIT FOR BUMPER SENSORS - Coffret de perçage pare-chocs pour détecteurs - Lochwerkzeug für Stoßfänger



Ø 17-18-18,2
19-20-22,5-24
26-26,7-32 mm

Box 10 diameters
059139

included Ø 10 mm





Ø 18.0 - 18.2 - 18.4 - 18.6
24.0 - 26.0 - 26.5 - 26.7
27.4 - 28.1 - 29.3 - 32.0
32.5 - 34.4 - 37.4 - 38.9 mm

Box 16 diameters
085824


FREEZER

Freezer spray
- Spray refroidisseur
-50 °C
400 ml

(x 12)
048898



TOOL FOR REMOVING BUMPER - Outil de déclipsage pare-chocs





076518

x15
076525

HAND SEAMER FOR PLASTIC REPAIR - Pince de serrage pour réparation des plastiques

082014



PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset






Ø 5 mm 066694
Ø 8 mm 066700

320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
3.4 kg
Length of hose : 1 m
Air flow : 24 l/min

Station seule
- Station only
064072

Youtube



plastic rods - baguettes plastique 440 mm

PP / EPDM	▲ 4 mm	x 10	066304
	▬ 6 mm	x 10	067622
	▬ 8 mm	x 10	066298
ABS	▲ 4 mm	x 10	071322
	▬ 8 mm	x 10	071339
TPO	▲ 4 mm	x 10	087873
	▬ 8 mm	x 10	087880

	Station	PP/EPDM 4mm (x10)	PP/EPDM 6mm (x10)	PP/EPDM 8mm (x10)	Pressure wheels	Mini milling machine	Scraper
064072	✓						
070974		✓					



Scraper - Grattoir
068032



Pressure wheels
- Roulette de compression
058231

Tungsten drill
Ø 5 mm
included
063235



Mini milling machine
- Mini fraiseuse
063228

WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kungstoff-Schweißset




1 600 W - 230V - 50/60 Hz
max. 230 l/mn
1.3 kg / Ø100 x 300mm,
poignée Ø 56mm.

057678



3m




20mm

x10
052956

x1
25 x 12.5 cm
052949



Options



TIP Ø5
061262

TIP insert Ø5
061279

MULTI–CLIP PLIER - Pince multi-clip

DURABLE HIGH-CARBON STEEL


083813



Cut + Grip

BRAZING AUTOMOTIVE PLASTICS REPAIR KIT - Coffret de réparation des plastiques automobiles - Kungstoff Reparatur Set

052932 =



MADE IN BELGIUM



WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

å 64 kg
Capacity 320 kg



Complete carbody workstation
080119




Workstation only
076143

included



HAND CHISEL FOR CAR BODY
- Burins
- Meißel für Karosserie

057586




057593




SET OF 3 SCRAPING KNIFES
- Couteaux racloirs

061439



SET OF 4 NYLON CHISELS - Jeu de 4 burins en nylon - 4 Kunststoffmeißel

054745



SET OF 3 CHISELS - Lot de 3 burins de séparation éléments collés - 3 Meißel

076754



SET OF 30 TOOLS FOR SCRAPING/SANDING AND PAINT REMOVAL - Outils de dégarnissage et raclage - Polster & Schaber Kit

057616



HAND TOOLS - Ausbeulwerkzeug

● **FULL PACK =**
061637



+ ● **MEDIUM PACK**
051133



ALU HAMMERS
- Marteaux alu

020986



Alu



PLANISHING KIT FOR CAR BODY (SET OF 3 HAMMERS +4 DOLLYS) - Kit marteaux et tas - Karosseriehammer & Handfaust Kit



SET OF 3 ALU HAMMERS + 4 ALU DOLLIES - Kit marteaux alu et tas alu
- Karosseriehammer & Handfaust Kit





FORMING TOOLS - Outils de forme - Formgebungswerkzeuge

051195



BODYWORK BUMPING MALLET - Maillet souple caoutchouc - Karosserie-Schlaghammer

083479




CONTOUR GAUGES - Jauges de profil - Kontourenlehre

052840





057265



LIP PLIER - Pince à lèvres - Falzzange gebogen

079649





DOOR HINGE STRAIGHTENER - Redresseur de charnière de porte - Türgelenkausrichter

051102



DOOR ALIGNING TOOL - Outil d'alignement de portière - Türausrichtungswerkzeug

083424




GAPPING GAUGES - Jauges de positionnement - Spaltmaßlehre

x2
054752



FENDER ROLLER TOOL SET - Outil de remise en forme passage de roue - Kotflügelrollen-Werkzeugsatz


060791



PANEL SPACING ALIGNMENT GAUGE - Jauge d'alignement d'écart de panneau

088689
inch / mm

NEW





MULTI–CLIP PLIER - Pince multi-clip


083813

DURABLE HIGH-CARBON STEEL




BURR REMOVER - Outil d'ébavurage - Gratentferner

079854



BODY LINE TOOL - Traceur de ligne carrosserie - Markierhilfe für Kanten

078758



SET OF PLIER + 10 STAPLES - Coffret pinces à agrafes

082175





0 - 2.5 mm (x10)
082182



2,5 - 5 mm (x 10)
082199


POSITIONING CLAMP - Pinces de maintien bord à bord - I-Stoß-Lehre

043190
(x4)




TEMPORARY-FASTENERS MANUAL MOUNTING - Serre-tôles

(x10)
Ø 2,4 mm
069664



(x10)
Ø 4,0 mm
069671



(x10)
Ø 4,8 mm
069688




(x10)
Ø 6,4 mm
069695



MICRO-GRIP CLAMPS - Pinces micro-grip

061330
(x4)




MICRO-WELDING CLAMPS - Micro-brides de soudage

079373
(x4)




FLAT NOSE LOCK-GRIP PLIERS - Pinces étau à bec plat

062719




AXIAL-GRIP PLIERS - Pinces axiales

050242




LOCK-GRIP PLIERS - Pinces étau mono serrage


280 mm
061378



610 mm
061354




460 mm
061361




Flat noze - 610 mm
061347



Flat noze - 460 mm
050112




KIT :
050266



MINI DISC SANDER - Mini-meuleuse - Druckluftschleifer

051829





Included (x1) 052468

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	200	83	171	6.2	12	0.7

NEW
ABRASIVE DISCS 75 mm

GRIT 80 (x25)	092952
GRIT 100 (x25)	092969
GRIT 120 (x25)	092976

058248






Speed rpm	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	84	91	6.2	10	0.6

MINI-FLEXIDISC LAMELLES ZIRCON Ø 50 mm

K 40 (x10)	058255
K 60 (x10)	058262
K 80 (x10)	058279

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

060906



Grain 60 (x 5)	060913
Grain 80 (x 5)	060920
Grain 100 (x 5)	060937
Grain 36 céramique (x 5)	062535

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16 000	171	6.3	34	1.2

LONG HANDLED ANGLE GRINDER - Meuleuse d'angle - Druckluft-Winkelschleifer

057753



+ 1.6 mm, x5 057883


+ 0.8 mm, x5 058217

Speed rpm	dB	Air consumption l/min	Air pressure bar	cm	kg
14000	84	113	6.2	37	1.7

MINI ANGLE GRINDER - Mini-meuleuse à renvoi d'angle - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867




(x1) 052772


Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	200	86	85	6.2	18	0.75

SAW FOR STRAIGHT CUT AND FILE - Scie coupe tôle droite et lime - Druckluftsäge und Feile




(x5) 052789




included 058750

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
5000	—	85	255	6.2	10	0.8

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

052819



Grain 80 (x 10)	052833
Grain 36 céramique (x 20)	062528

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16000	171	6.3	26	0.9

MINI ANGLE MILLING MACHINE - Mini-fraiseuse à renvoi d'angle - Mini-Winkelschleifer

051836



Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	500	81	85	6.2	18	0.7

AUTOMATIC MANDREL DRILL - Perceuse mandrin automatique - Druckluftbohrmaschine m. Schnellspannfutter

051799



Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	300	92	170	6.2	18	0.9

PNEUMATIC SURFACE REMOVER KIT - Coffret décapeuse pneumatique - Druckluftentroster-Box inkl. Zubehör

051775



Roue gomme 115 x 14 mm	051874	Brosse souple Brins droits 0.5 mm 103 x 23 mm	052598
Roue à décaper 115 x 14 mm	051843	Brosse dure Brins incurvés 0.7 mm 103 x 23 mm	051812
Adaptateur pour brosse	051768	Brosse souple Brins incurvés 0.5 mm 103 x 23 mm	051850

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
4000	500	86	102	6.2	280	1.2

LASER CORD METAL SHEET CUTTER (NIBBLER) - Dépointeuse pour cordon laser ACIER - Trennwerkzeug für Lasernähte


054165




STEEL Included 054172

PNEUMATIC FLANGE / PUNCHING TOOL - Pince à soyer et à trouer, pneumatique - Pneumatische Loch- und Absatzzange

079892



052543




2 in 1




Punching tool for oval holes
- Outil de poinçonnage oblongs
- Langlochkarosserieblechzange





052437



067264

MINI MILLING MACHINE - Mini Fraiseuse - Mini-Schleifer


063228



Option
Tungsten drill Ø 6 mm 054172

SPOT REMOVER - Dépointeuse - Druckluft-Schweißpunktbohrer

SPOT DRILL 050464



Ø 8

Included : Tungsten Carbide Ø 8 for BORON/UHSS (x1)



Youtube

Spot remover drill - Forets de dépointage - Schweißpunktfräse Tungsten Carbide for BORON/UHSS

	Ø 8 mm	Ø 9 mm	Ø 10 mm
3-edge	053069	069763	053076
4-edge Efficiency ++ Durability ++	059849	069770	

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	400	85	140	6.5	35	2.3

PACK SPOT DRILL + 140 mm 061460



INSPECTION LAMPS
- Lampes d'inspection - Inspektionslampen

HEADTORCH 280 L
100-280 lumens

3 W COB LED, 80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
mains charger not incl.
operating time
High position : 2 h
Low position : 6 h
IP 65
8 × 5 × 4 cm / 0.1 kg
5 x 11 x 18 cm / 0.2 kg

060845



HEADLAMP 320 L
320 lumens

NEW 10/2026

3 LED
3.7 V - 1400 mAh Li-po
USB Type-C charging
mains charger not incl.
operating time
2 > 4.5 h
6 × 4 × 3 cm / 0.1 kg
4 x 3 x 3 cm / 0.2 kg

092563



HANDS-FREE COLLAR TORCH 360 L
180-360 lumens

3.7 V - 2200 mAh Li-ion
Charging time: 3.5 h
operating time
High position : 3 h
Low position : 6 h

26 × 15.9 × 2.5 cm
3.5 × 30 × 16 cm

088559



PRO INSPECTION LAMP 800 L
120-800 lumens


Aluminium Body

COB LED
3.7 V - 2600 mAh Li-ion
USB charging (4 h)

operating time
2.5 > 9 h

IP 54

075900



MINI INSPECTION LAMP 350 L
0-350 lumens

COB LED
3.7 V - 1100 mAh Li-ion
USB charging (3 h)

operating time
3 > 6.5 h

IP 20

075894


INSPECTION LAMP 800 L
130-800 lumens

NEW 10/2026

Aluminium Body

COB LED
3.6 V - 3000 mAh Li-ion
USB Type-C charging (3-3.5 h)
mains charger not incl.
operating time
2 > 7 h

092600



INSPECTION LAMP 350 L
100-350 lumens

COB LED
3.7 V - 2200 mAh Li-ion
USB Type-C charging (3-3.5 h)
mains charger not incl.
operating time
3 > 7.5 h

092594



HAND LAMPS
- Lampes baladeuses - Handleuchte

HAND LAMP 400 L
400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h

7 x 4 x 23 cm / 0.3 kg
14 x 7 x 24 cm / 0.5 kg

059153



TORCH 500 L
500 lumens

NEW 10/2026

COB LED + UV LED
3.7 V - 450 mAh Li-po
Charging time : 2.5h
operating time
High position : 2 h
Low position : 4 h
Top light : 3 h

10.9 x 2.5 x 1.3 cm
3 x 3 x 11.3 cm

092587



LED WORKLIGHTS WITH TRIPOD - Projecteurs led sur trépied
- LED-Arbeitsleuchte mit Standfuß


TRIPOD LAMP 4000 L
4000 lumens

3x 20 COB LED,
total 60 LED

3 m
power cord

059986

21 x 15 x 114 cm / 5.7 kg
22 x 116 x 117 cm / 6.4 kg



TRIPOD LAMP 3000 L
3000 lumens

35 W COB LED

2 m power cord

IP 44

059979

100 x 20 x 9 cm / 3.6 kg
103 x 22 x 10 cm / 4.1 kg



UNDER BONNET LAMPS
- Lampes sous capot - Leuchte für Motorhaube

UNDER BONNET LAMP AND TRIPOD 800 L
250-800 lumens


120 COB LED

3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 3 h
Low position : 6 h

60 x 10 x 7 cm / 1.2 kg
61 x 15 x 12 cm / 2 kg

058002



UNDER BONNET HAND LAMP 1000 L
500-1000 lumens


120 COB LED

3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 4 h
Low position : 8 h

22 x 11 x 68 cm / 1.8 kg
24 x 12 x 70 cm / 2.3 kg

059962



DETAILING & COLOUR MATCH
- Contrôle des couleurs - Fabnpassung & Aufbereitung



5 COLORS
2500-3500-4500-5500-6500 K
50-200-500 lumens

SCANGRIP® COLOUR MATCH

SUNMATCH 4
COB LED, 96 CRI +, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time :
High position : 2 h, Low position : 4 h
IP 65
4 x 6 x 19 cm / 0.3 kg
8 x 9 x 21 cm / 0.5 kg

061651



ACCESSORIES & SANDING

FILM COATING THICKNESS GAUGE - Détecteur épaisseur de peinture

059856

Measurement range : 0 – 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm



PRO PAINT THICKNESS GAUGE - Détecteur PRO épaisseur peinture


092532

Measurement range : 0 – 1.50 mm
Resolution : 0.01 mm
Measurement error : ± (3% + 0.002 mm)
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 122 x 62 x 27 mm



4 MAGNETIC PANEL EDGE PROTECTIONS
- 4 protections magnétiques de ponçage pour bord de panneau

082793





ELECTRIC SANDER - Ponçeuse électrique - Elektro-Schleifer

057999

Orbital 5.0 mm
27 x 15 x 10 cm / 1.5 kg
37 x 18 x 12 cm / 1.9 kg

Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

Light weight & Compact



NEW

092006

Orbital 5.0 mm
30 x 14 x 14 cm / 1.38 kg

Speed : 4000-10000/min
Input Voltage : 220-240V~ 50/60Hz
220-240V~ 50/60Hz

Brushless / 6-speed adjustment
Integrated LED for better visibility



058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/mn
Drum capacity : 30 L
Drum material : stainless steel

33 x 33 x 63 cm / 4.9 kg
38 x 38 x 67 cm / 7.8 kg



GYSDUST EXTRACTOR PRO - Pneumatic dust extractor for sander

AUTOMATIC START SYSTEM

PATENT PENDING
BREVET GYS / GYS PATENT
EP 4292759 B1
US2023400107

Start/stop synchronized with the sander
- Marche/arrêt synchronisé avec la ponceuse


INNOVATIVE SUCTION SYSTEM

PATENTED
BREVET GYS GYS PATENT
EP 4215760 B1

High suction
Low air consumption

MAINTENANCE FREE
Unique auto clean system

PATENT PENDING
BREVET GYS GYS PATENT



ATEX norm
Group II - Category 3
EN 60335-2-69 : 2012

- ROBUST
- QUICK & SAFE
- LOW AIR CONSUMPTION (5 bar)
- NO ELECTRIC MOTOR
- ENERGY SAVING
- VACUUMING ALL SURFACES
  (Steel, aluminium, putty)

PRO


Depression 1300 mm H2O
Air flow 650 l/min
Air consumption 250 l/min

Adjustable sander pressure
- Pression ponçeuse ajustable
6 bar max

GYSDUST EXTRACTOR PRO 1

1 SUCTION PORT







GYSDUST EXTRACTOR PRO 2

2 SUCTION PORTS







SELF-SEALING SUCTION



COMPACT



LARGE STORAGE



* boxes of 100 sanding discs ø150mm
sanding disc boxes not included

OPTIMIZED STORAGE



EASY ACCESS



Consumables

Sac à poussieres - Filter bag
Capacity 5 kg

Included x1



x 5
058880

Options

Pneumatic Sander
- Ponceuse pneumatique
MIRKA PROS 650CV




Ø 150 mm
071346

Pneumatic Sander
- Ponceuse pneumatique
Made in China




Ø 150 mm / Exc 5 mm
087897
Ø 150 mm / Exc 2.5 mm NEW
092808

NEW
Soft foam interface pads
- Tampons interface mousse souple
for pneumatic sander



Ø150 mm, 16 holes/ trous
091429



Ø150 mm, 16 holes/ trous
092525

NEW
Vacuum sanding block
- Cale à poncer aspirante



70 x 200 mm
089082

NEW
Flexible vacuum sanding block
- Cale à poncer aspirante flexible



70 x 400 mm
089099

GYSDUST PRO 1 EXTRACTOR

088528

⚓ 48 x 51 x 89 cm / 24 kg
📦 80 x 38 x 48 cm / 24.8 kg

GYSDUST PRO 2 EXTRACTOR

088535

⚓ 49 x 48 x 88 cm / 26 kg
📦 81 x 40 x 49 cm / 28.6 kg

Sander not included
- Ponceuse non fournie

NEW 01/2026

Sander and bock not included
- Ponceuse et cale non fournie


NEW



4 m
Ø 29 mm

4 m
Ø 29 mm

AIR OUTPUT 1/4" GAZ
for compressed air coupler




Connector not included
- Raccord non inclus

Option
Gysdust PRO Brush Kit (×4)
091856



Included
Earth clamp safety




				
GYSDUST EXTRACTOR PRO 2 091436	Pneumatic Sander Ø 150 mm 087897	Vacuum sanding block 089082	Flexible vacuum sanding block 089099	Filter bag x 5 058880

ERGONOMIC PRO SUPPORT FOR PAINTING ELEMENTS - Support Pro ergonomique pour peinture d'éléments - Ergonomische Pro-Unterstützung für Malelemente


082656

Youtube




ROTARY ELEMENT SUPPORT - Support élément rotatif - Lackierständer für Stoßstange, einstellbar

052611
200 x 101 cm - 19 kg
⚒ 112 x 35 x 13 cm / 23 kg
Made in China



WHEELS PAINTING SUPPORT - Support de peinture pour 2 jantes - Lackträger für 2 Felgen

082168
⚒ 83 x 45 x 35 cm / 25 kg



FRAMES SUPPORT - Tréteaux - Klappböcke




040601
⚓ 105 x 33 x 9 cm / 6.3 kg
⚒ 107 x 35 x 10 cm / 6.7 kg



040250
⚓ 100 x 105 cm - 7.1 kg
⚒ 104 x 10 x 32 cm / 7.5 kg



083875
14.4 kg
⚒ 108 x 9 x 47 cm / 16.5 kg



040311
⚓ 106 x 31 x 6 cm / 6.6 kg
⚒ 106 x 31 x 11 cm / 9.7 kg



Suction pad for glazing
- 4 ventouses
Dépose vitrages
- Gummiteller zur Fixierung von Glasscheiben

040304
⚓ 105 x 109 cm / 7.2 kg
⚒ 107 x 32 x 10 cm / 7.8 kg



Light and easy to handle
Ideal for horizontal works
- Léger et très maniable
Spécial travaux à l'horizontal
- Speziell geeignet für Arbeiten in horizontaler Position

ROTARY ELEMENT SUPPORT - Support pare-chocs - Lackierständer für Stoßstange, einstellbar


052376
⚓ 50 x 70 x 10 cm / 7.3 kg
⚒ 60 x 77 x 12 cm / 8.3 kg



Adapted to wing mirror covers -
Adapté aux coques de rétroviseurs
- Geeignet für Außenspiegel

TELESCOPIC FRAMES SUPPORT - Tréteaux téléscopiques - Teleskopböcke


083882



⚒ 81 x 74 x 14 cm / 30.7 kg

SUSPENSION RACK FOR CAR BODY PANELS - Portant pour suspension d'éléments de carrosserie

087415



MASKING MACHINE - Chariot de marouflage - Abdeckpapier-Ständer

083905
132 x 95 x 91 cm / 35 kg
⚒ 109 x 92 x 27.5 cm / 37 kg

x 4 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30, 60, 120, 120 cm



OPTION
Ø 40 mm
x 6
058897

056954
136 x 58 x 112 cm / NC kg


NEW 07/2026

x 3 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30, 60, 90 cm



MOBILE RACKS FOR CAR BODY REPAIR
- Racks mobiles pour éléments de carrosserie - Mobile Regale für Karosserieelemente

083899
23.3 kg
61 x 36 x 16 cm / 26.3 kg



GRATE LIFTER TROLLEY
- Diable pour grilles de cabine de peinture

089068



STORAGE TROLLEYS - Chariots de stockage - Lagerrollwagen

040243

71 x 90 x 197cm / 41 kg

x2 : 90 x 6 x 147 cm + 97 x 74 x 24 cm




059825



106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

WALL STORAGE - Stockage mural - Wandspeicher

059832



50 x 150 cm
/ 11.3 kg
155 x 18 x 12 cm
/ 13.8 kg

UNIVERSAL SUPPORT - Chariot pour éléments de carrosserie - Universelle Ständer

083868

56 kg
102 x 72 x 27 cm / 59 kg





FLAP LOCKS - Jeux de tiges de blocage

087903





ROUND STOOL WITH TOOL STORAGE
- Tabouret - Werkstatt-Rollhocker

057555
38 x 38 x 44 cm - 5.2 kg
41 x 19 x 41 cm / 5.6 kg



PLASTIC STOOL WITH TOOL STORAGE
- Tabouret en plastique avec rangements - Kunststofthocker

085916
3.9 kg
61 x 36 x 16 cm / 4.6 kg




3-DRAWER WORKSHOP STOOL - Tabouret d'atelier 3 tiroirs - Werkstatthocker 3 Schubladen

079878
47 x 35 x 43 cm / 12 kg
38.5 x 37 x 38.5 cm / 13 kg



FOLDING STEP STOOLS
- Marche pieds (Aluminium) - Arbeitspodest klappbar

080041
7.3 kg
100 x 39.5 x 19 cm / 8.1 kg




MECHANICS CREEPER WITH TILTING HEADREST
- Chariot de visite - Werkstatt-Rollliege

057548
102 x 43 x 11 cm / 5.3 kg
104 x 45 x 13 cm / 6 kg



057562
7.9 kg
102 x 39 x 19 cm / 8.5 kg




2 IN 1 MECHANICS CREEPER
- Chariot de visite 2 en 1 - Werkstatt-Rollliege

079861
102 x 40 x 14 cm
40 x 13 x 63 cm - 7,6 kg



058552
113 x 41 x 16 cm / 16 kg
117 x 42 x 17 cm / 17 kg




WORKSTATION PREMIUM 5 DRAWERS
- Servante premium 5 tiroirs



076143
å 64 kg
Capacity 320 kg



Example of use
- Exemple d'utilisation
(p. 39)



PLASTIC TROLLEY 3 SHELVES - Servante plastique 3 plateaux

087309



WORKSTATION 3 SHELVES 1 DRAWER
- Servante d'atelier 3 plateaux 1 tiroir

088023

136 kg max



HEAT COVER - Couverture anti-chaleur - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



PROTEC 550
550°C/1000°F - **Class M0**
2 m x 2 m - 580 g/m²
050495

PROTEC 1200
1200°C/2200°F - **Class M0**
1.75 m x 1.5 m - 1200 g/m²
050204

PROTEC 1300
1300°C/2400°F - **Class M0**
XL : 2 m x 1.8 m 620 g/m²
053595

PROTEC 1300L
1300°C/2400°F
XL : 2 m x 1.8 m 427 g/m²
060500

SET OF 2 MAGNETS
- Jeu de 2 aimants
- Schweißmagnet




(x2)
052291

MAGNETIC COVER - Couverture magnétique - Magnetschutzdecke



1.06 m x 0.6 m
061446

RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand



OPTI 215.O
Orange CE - 1.6 x 2.15 m
ISO 25980 / EN 1598 / AWSF2.3M:2011
060470

OPTI 200G
Green T9 - 1.7 x 1.9 m
ISO 25980 / EN 1598 / AWSF2.3M:2011
060463

RESPIRATORY MASKS - Masques respiratoires - Atemschutzmaske - Máscaras respiratorias





FFP3 - EN 140 / EN 143 / EN 166
(x1) Size M/L
037021



FFP3 - EN 140 / EN 143
(x1) Size M/L
037014



Étui / Case
037045



FFP3 - EN 143 : 2000 P3
Anti poussières
/ Anti odeurs
037038

PROTECTION GOGGLES
- Lunettes de protection - Schutzbrillen

EN 166



Shade/IR0
042810



Shade/IR0
042827



Shade/IR5
042841



Shade/IR0
047778



Shade/IR0
047792



Shade/IR0
042865



Shade/IR0
047839

GLOVES - Gants - Handschuhe - Guantes



Anti-cut
- Anti coupure
T9
045897

EN388
4342C



✓ touch screen friendly
- écran tactile
High resistance anti-cut
Anti coupure
haute résistance
EN 420
EN 388:4121
T9 : 045910
T10 : 045927



High dexterity anti-cut
- Anti coupure haute dextérité
EN 420
EN 388:1121
T9 : 045903
T10 : 045934



T10
064188

EN420
2003
+A1

Ultra Flexible

EN388
2011 X



Heavy Duty T10
(MMA - MIG - Plasma)
045101

EN388
4244

EN 407
4231XX
EN12477
Class : A1



Gants PRO TIG EXTRA
T10
045323

EN388
2011XX

EN 407
41313X
EN12477-B
EN 420



Reinforced welding gloves
- Gants de soudage renforcés
T10
045873

EN388
4244

EN 407
413X4X
EN12477
Class : A1

MULTI-USE LEATHER APRON
- Tablier cuir multi-usage
- Delantal de cuero multi-uso
- Mehrzweck-Lederschürze




PRO
045217

1T MOBILE LIFTING TABLE WITH HYDROPNEUMATIC PUMP
- Table élévatrice mobile 1 tonne avec pompe hydropneumatique
- Mobiler 1-Tonnen-Hubtisch mit hydropneumatischer Pumpe

083912
Weight : 385 kg




Hydropneumatic pump
- Pompe hydropneumatique





110 s — 30 s

6-8 bar



Lifting table pins
- Piges pour table de levage
- Stangen für Hubtisch
085176





FIRE RETARDANT COVER - Couverture anti-feu - Löschabdeckung

NEW

Protection: **MO / Euroclass**
Nominal temp: 600°C
Peak temp: 1200°C
⚓ : 6 m x 8 m
22 kg
092655





included bag



EQUIPMENT FOR OPERATIONS ON ELECTRIC AND HYBRID VEHICLES
- Équipements pour opérations sur véhicules électriques & hybrides
- Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

FACE SHIELD WITH HEADBAND
- ÉCRAN FACIAL AVEC SERRE-TÊTE
068018



INSULATING GLOVES (T10)
- GANTS ISOLANTS (T10)
068025



25 pieces insulated tools 1000V - Coffret de 25 outils isolés 1000V - Box mit 25 isolierten Werkzeugen 1000V
083837

7/8/10/12/14/16/17/19/21 mm sockets - Douilles 7/8/10/12/14/16/17/19/21 mm	x 9
175 mm long universal pliers in chrome vanadium - Pince universelle de 175 mm en chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium - Pince coupante 150 mm en chrome vanadium	x 1
3/8" ratchet - Cliquet en 3/8"	x 1
Extension 100 mm - Rallonge 100 mm	x 1
T-handle - Poignée en T	x 1
Flat spanner 7/8/10/12/14/17 mm - Clés plates à fourches 7/8/10/12/14/17 mm	x 6
Cable knife - Couteau pour câble	x 1
PhH1x80/PhH2x100 mm mm Philips screw - Tournevis Philips PhH1x80/ PhH2x100 mm	x 2
Flat screwdriver 5.5x125 / 4x100 mm - Tournevis plats 5.5x125/4x100 mm	x 2



Kit for marking the area of intervention
- Kit pour le balisage de la zone d'intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Red and white warning pole - Balise de signalisation rouge et blanche	x 4
Red and white bounding line - Chaîne de délimitation rouge et blanche	x 1
Sign board "*Danger, working area EHV*" - Pancarte de signalisation "*Danger, zone de travail VEH*"	x 2



TROUSERS - Pantalon - Hose



EN ISO 11611 Class 2-A1 & A2
EN ISO 11612 A1+A2-B1-C1-E3-F1
EN 1149-5
IEC 61482-2 Class 1-4kA
EN 14404 +A1 Type 2

98% cotton, 2% antistatic

S (40/42) **046368**
M (44/46) **046375**
L (48/50) **046382**
XL (52/54) **046399**
XXL (56/58) **046412**

JACKET - Veste - Jacke




EN ISO 11611 Class 2-A1 & A2
EN 1149-5
EN ISO 11612 A1+A2-B1-C1-E3-F1
EN 14404 +A1 Type 2
IEC 61482-2 Class 1-4kA

98% cotton, 2% antistatic
S (40/42) **046313**
M (44/46) **046320**
L (48/50) **046337**
XL (52/54) **046344**
XXL (56/58) **046351**

Display stand
- Podium de présentation
- Podest

PODIUM 1
A : 45 cm
B : 50 cm
C : 50 cm
063204

PODIUM 2
A : 80 cm
B : 50 cm
C : 50 cm
063211





Retail display space with 2 shelves
- Linéaire de vente avec 2 étagère
- Lochwandregal mit 2 Böden
060784



Banner
- Oriflamme
3 x 0,50 m
098015



Barnum 3 x 3 m
098022



Open barnum
2 x 2 m
098039

INVEST IN THE FUTURE

COLLISION REPAIR

2026 B

GYS France

Headquarters
1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France
Tel +33 2 43 01 23 60
E-mail service.client@gys.fr

ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

Logistics centre
2 Rue Jean Dausset
53810 Changé - France
Tel +33 2 43 01 54 33

GYS Germany
Professor-Wieler
Straße 11
52070 Aachen
Deutschland
Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr

GYS UK
Unit D, Swift Point
Swift Valley
Rugby - Warwickshire
CV21 1QH
United Kingdom
Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr

GYS Italia
Via Porta Est, 7
30020 Marcon - VE
Italia
Tel +39 041 53 21 565
E.mail italia@gys.fr

GYS Ibérica
Calle de las Perdrizas 7
Poligono Industrial Sector 8,
28110 Algete, Madrid
España
Tel +34 917 409 790
E.mail iberica@gys.fr

GYS China
Lot N°15 - 6666 bd Songze
201706 Qingpu
Shanghai - China
Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn

LinkedIn
Youtube
WeChat
Facebook
Instagram

www.gys.fr

Distributed by

095113 • Document non contractuel. GYS se réserve le droit de modifier les spécifications et les tarifs de ses appareils, sans délai ni préavis, et en cas d'erreur typographique ou d'impression. • Non-contractual document. GYS reserves the right to modify the specifications and prices of its products without notice or delay, and in the event of typographical or printing errors. • Documento non contrattuale. GYS si riserva il diritto di modificare le specifiche e i prezzi dei suoi prodotti senza preavviso in caso di errori tipografici o di stampa. • Dieses Dokument ist nicht vertraglich bindend. GYS behält sich das Recht vor, Spezifikationen sowie Preise seiner Geräte jederzeit und ohne vorherige Ankündigung zu ändern. Dies gilt ebenso im Falle von Druck- oder Schreibfehlern. I.P. - 309 g • printed in May 2026